

Index to volume 39

Author index*

A

- Abernethy JL (*see* Iacocca et al). 1998;39:882-7 (Case rep.)
 Acker SM, Nicholson JH, Rust PF, Maize JC. Morphometric discrimination of melanoma in situ of sun-damaged skin from chronically sun-damaged skin. 1998;39:239-45 (Dermatopathology)
 Adam P (*see* Gupta et al). 1998;39:216-9 (Therapy)
 Akaeda T (*see* Miyauchi-Hashimoto et al). 1998;39:565-70
 Akiyama T (*see* Kanoh et al). 1998;39:635-7 (Brief comm.)
 Albertini JG, Ramsey ML. Surgical Pearl: Delayed intranasal knot tying for composite grafts of the ala. 1998;39:787-8 (Pearls)
 Alexis M (*see* Gupta et al). 1998;39:216-9 (Therapy)
 Aliaga A (*see* Nagore et al). 1998;39:879-81 (Case rep.)
 Allan AE (*see* Iacocca et al). 1998;39:882-7 (Case rep.)
 Allen AL, Fosko SW. Lymphangitis as a complication of intralesional bleomycin therapy. 1998;39:295-7 (Brief comm.)
 Allen AL, Siegfried EC. The natural history of condyloma in children. 1998;39:951-5
 Alomar A (*see* Pujol et al). 1998;39:839-42 (Case rep.)
 Alonso-Llamazares J, Dietrich SM, Gibson LE. Bullous pemphigoid presenting as exfoliative erythroderma. 1998;39:827-30 (Case rep.)
 Altmeyer P (*see* Dirschka et al). 1998;39:789-90 (Brief comm.)
 Altmeyer P (*see* Gruss et al). 1998;39:443-6 (Therapy)
 Amesbury EC (*see* Ross et al). 1998;39:975-81 (Derm. surg.)
 Ammonette R (*see* Drake et al). 1998;39:765-86 (From the Academy)
 Andersen WK (*see* Stefanato et al). 1998;39:375-8 (Case rep.)
 Anderson RR (*see* Duke et al). 1998;39:488-90 (Brief comm.)
 André J (*see* Sass et al). 1998;39:490-3 (Brief comm.)
 Anhalt GJ (*see* Nousari et al). 1998;39:497-8 (Brief comm.)
 Anhalt GJ (*see* Sapadin and Anhalt). 1998;39:867-71 (Case rep.)
 Appel J (*see* Klein et al). 1998;39:281-3 (Brief comm.)
 Araki N (*see* Murata et al). 1998;39:314-7 (Case rep.)
 Armstrong DJ (*see* Cotton et al). 1998;39:876-8 (Case rep.)
 Arnett FC (*see* Williams et al). 1998;39:359-62 (Case rep.)
 Aronson IK, Bond S, Fiedler VC, Vomvouras S, Gruber D, Ruiz C. Pruritic urticarial papules and plaques of pregnancy: clinical and immunopathologic observations in 57 patients. 1998;39:933-9
 Arrese JE, Piérard GE. Immunostaining of various micro-organisms by a polyclonal anti-*Mycobacterium bovis* antibody. 1998;39:809-10 (Letter)
 Asano AT (*see* Duvic et al). 1998;39:S129-33

B

- Baer S (*see* Stevens et al). 1998;39:509-12 (Brief comm.)
 Baloglu H (*see* Tasbakan et al). 1998;39:114-5 (Brief comm.)
 Baran R (*see* Perrin et al). 1998;39:560-4
 Barile A (*see* Ross et al). 1998;39:975-81 (Derm. surg.)
 Barson J (*see* Knapik et al). 1998;39:202-6
 Bart R (*see* Sahin et al). 1998;39:428-33
 Bart RS (*see* Huang et al). 1998;39:451-63 (Clin. rev.)
 Bastacky S (*see* Schoedel et al). 1998;39:894-8 (Case rep.)
 Becker D (*see* Knoell and Becker). 1998;39:292-3 (Brief comm.)
 Beer JZ (*see* Stern et al). 1998;39:48-55

*July, pp. 1-148; August, part 1, pp. 149-300; August, part 2, pp. 301-380; August, part 3, pp. S1-S122; September, pp. 383-526; October, part 1, pp. 527-666; October, part 2, pp. S123-S152; November, part 1, pp. 667-818; November, part 2, pp. 819-898; December, pp. 899-1074.

- Beer R (*see* Squeo et al). 1998;39:379-80 (Case rep.)
 Behrens S (*see* Dirschka et al). 1998;39:789-90 (Brief comm.)
 Behrens S (*see* Gruss et al). 1998;39:443-6 (Therapy)
 Ben-Aryeh Y (*see* Bergman et al). 1998;39:554-9
 Bergfeld W (*see* Kaufman et al). 1998;39:578-89 (Therapy)
 Bergfeld WF. The evolving role of retinoids in the management of cutaneous conditions: introduction. 1998;39:S1
 Bergfeld WF. Retinoids and hair growth. 1998;39:S86-9
 Bergman R, Faclieru D, Sahar D, Sander CA, Kerner H, Ben-Aryeh Y, Manov L, Hertz E, Sabo E, Friedman-Birnbaum R. Immunophenotyping and T-cell receptor γ gene rearrangement analysis as an adjunct to the histopathologic diagnosis of mycosis fungoides. 1998;39:554-9
 Berman B, Flores F. Carbon dioxide laser ablation associated with interferon alfa-2b injections reduces the recurrence of keloids. 1998;39:1040 (Letter reply)
 Berman B (*see* Flores et al). 1998;39:1021-2 (Brief comm.)
 Berman B (*see* Valencia et al). 1998;39:864-6 (Case rep.)
 Bernhard JD. My Grandfather's Axe. 1998;39:246-7 (The Blue Journal)
 Bernhard JD. p54 Where Are You? 1998;39:762-3 (The Blue Journal)
 Bernhard JD. Touch. 1998;39:476-7 (The Blue Journal)
 Bernstein EF, Lee J, Lowery J, Brown DB, Geronemus R, Lask G, Hsia J. Treatment of spider veins with the 595 nm pulsed-dye laser. 1998;39:746-50 (Derm. surg.)
 Bertram A (*see* Gniadecka et al). 1998;39:966-70 (Therapy)
 Betti R, Inselvini E, Pazzini C, Monighini L, Crosti C. Symmetrical, papular, eruptive auricular collagenomas. 1998;39:363-4 (Case rep.)
 Bhat L, Goldberg LH, Rosen T. Basal cell carcinoma in a black woman with syringomas. 1998;39:1033-4 (Brief comm.)
 Bhawan J (*see* Iacocca et al). 1998;39:882-7 (Case rep.)
 Bhawan J (*see* Stefanato et al). 1998;39:375-8 (Case rep.)
 Binkowitz B (*see* Kaufman et al). 1998;39:578-89 (Therapy)
 Blei F. Neurotoxicity of interferon alfa in children treated for hemangiomas. 1998;39:1037-8 (Letter reply)
 Bocquet H (*see* Joly et al). 1998;39:691-7
 Bologna JL, Lazova R, Watsky K. The development of lentiginos within segmental achromic nevi. 1998;39:330-3 (Case rep.)
 Bond S (*see* Aronson et al). 1998;39:933-9
 Bordas X (*see* Marcoval et al). 1998;39:439-42
 Borghi S (*see* Stefanato et al). 1998;39:375-8 (Case rep.)
 Bowers PW (*see* Julian and Bowers). 1998;39:191-5
 Boyd AS. Medical missions and dermatology. 1998;39:658-60 (Current issues)
 Boyd AS (*see* Chang et al). 1998;39:318-21 (Case rep.)
 Boyd AS (*see* Sullivan et al). 1998;39:993-9 (Clin. rev.)
 Braathen LR (*see* Yawalkar et al). 1998;39:790-3 (Brief comm.)
 Bredon J (*see* Landeck et al). 1998;39:795-6 (Brief comm.)
 Brehler R, Maurer O, Grabbe S, Schwarz T. Topically applied pentoxifylline has no effect on allergic patch responses. 1998;39:1017-21 (Brief comm.)
 Breneman DL (*see* Lebwohl et al). 1998;39:590-6 (Therapy)
 Brenner S, Ruocco V. D-Penicillamine-induced pemphigus foliaceus with autoantibodies to desmoglein-1. 1998;39:137-8 (Letter)
 Brenner S (*see* Landau et al). 1998;39:1011-2 (Brief comm.)
 Brice SL (*see* Weston and Brice). 1998;39:124-5 (Brief comm.)
 Bröcker E-B (*see* Hofmann et al). 1998;39:326-9 (Case rep.)

- Brown DB (see Bernstein et al). 1998;39:746-50 (Derm. surg.)
- Brown T, Yen A. Isolation of *Mycobacterium avium* complex from erythema multiforme. 1998;39:493-5 (Brief comm.)
- Bruynzeel I, Starink TM. Granulomatous skin infection caused by *Scopulariopsis brevicaulis*. 1998;39:365-7 (Case rep.)
- Buechner SA (see Itin et al). 1998;39:401-9
- Burd R (see Wilkinson and Burd). 1998;39:36-42
- Burdick A (see Flores et al). 1998;39:1021-2 (Brief comm.)
- Burkhart CG, Burkhart CN. Acne keloidalis is lichen simplex chronicus with fibrotic keloidal scarring. 1998;39:661 (Letter)
- Burkhart CG, Burkhart KM. Pentoxifylline for Schamberg's disease. 1998;39:298 (Letter)
- Burkhart CN (see Burkhart and Burkhart). 1998;39:661 (Letter)
- Burkhart KM (see Burkhart and Burkhart). 1998;39:298 (Letter)
- Burov EA, Kantor GR, Isaac M. Morpheaform sarcoidosis: report of three cases. 1998;39:345-8 (Case rep.)
- Burrows NP. Purpura in infants and children. 1998;39:661-2 (Letter)
- C
- Callen JP (see Jackson and Callen). 1998;39:824-6 (Case rep.)
- Callen JP (see Klein et al). 1998;39:281-3 (Brief comm.)
- Calonje E (see Stefanato et al). 1998;39:375-8 (Case rep.)
- Cambiaghi S, Gelmetti C, Nicolini U. Prenatal findings in membranous aplasia cutis. 1998;39:638-40 (Brief comm.)
- Cambiaghi S, Restano L, Cavalli R, Gelmetti C. Skin dimpling as a consequence of amniocentesis. 1998;39:888-90 (Case rep.)
- Cambiaghi S (see Restano et al). 1998;39:1028-30 (Brief comm.)
- Camisa C (see Primka and Camisa). 1998;39:121-3 (Brief comm.)
- Caputo R (see Restano et al). 1998;39:1028-30 (Brief comm.)
- Carrington PR, Nelson-Adesokan P, Smoller BR. Plaque-like erythema with milia: a noninfectious dermal mucinosis mimicking cryptococcal cellulitis in a renal transplant recipient. 1998;39:334-7 (Case rep.)
- Carson P (see Falabella et al). 1998;39:737-40 (Therapy)
- Carvajal I (see Peñas and Carvajal). 1998;39:138 (Letter reply)
- Carvajal-Huerta L. Epidermolytic palmoplantar keratoderma with woolly hair and dilated cardiomyopathy. 1998;39:418-21
- Castro LGM. Cutaneous *Paecilomyces lilacinus* infection. 1998;39:516 (Letter)
- Cather JC, Farmer A, Jackow C, Manning JT, Shin DM, Duvic M. Unusual presentation of mycosis fungoides as pigmented purpura with malignant thymoma. 1998;39:858-63 (Case rep.)
- Cavalli R (see Cambiaghi et al). 1998;39:888-90 (Case rep.)
- Çekmen S (see Taşkapan et al). 1998;39:114-5 (Brief comm.)
- Cerri A (see Restano et al). 1998;39:1028-30 (Brief comm.)
- Chandraratna RAS. Future trends: a new generation of retinoids. 1998;39:S149-52
- Chandraratna RAS. Rational design of receptor-selective retinoids. 1998;39:S124-8
- Chang A, Zic JA, Boyd AS. Intravascular large cell lymphoma: a patient with asymptomatic purpuric patches and a chronic clinical course. 1998;39:318-21 (Case rep.)
- Chen S, Palay D, Templeton SF. Familial eccrine syringofibroadenomatosis with associated ophthalmologic abnormalities. 1998;39:356-8 (Case rep.)
- Chin N-X (see Weitzman et al). 1998;39:255-61 (Special rep.)
- Cho K-H (see Park et al). 1998;39:287-9 (Brief comm.)
- Choi J-H (see Jang et al). 1998;39:637-8 (Brief comm.)
- Chong LY (see Su et al). 1998;39:517 (Letter)
- Chou RC (see Wiegand and Chou). 1998;39:S8-12
- Chou RC (see Wiegand and Chou). 1998;39:S25-33
- Cockayne SE, Gawkrödger DJ. Hamartomatous congenital melanocytic nevi showing secondary anetoderma-like changes. 1998;39:843-5 (Case rep.)
- Cockerell CJ (see Zabawski and Cockerell). 1998;39:741-5 (Therapy)
- Cohen DE, Stewart L, Scheman A, Taylor J, Pratt M, Trotter K, Prawer S, Warshaw E, Rietschel R, Watsky K, Schwarzenberger K, Zug K, Shama S, Wilson BA, Kosann MK, Godwin L. Position paper of the American Academy of Dermatology Latex Allergy Work Group. 1998;39:98-106 (From the Academy)
- Cohen PR (see DiMaio and Cohen). 1998;39:368-71 (Case rep.)
- Cohen PR (see Eng and Cohen). 1998;39:704-11
- Cohen PR (see Williams et al). 1998;39:359-62 (Case rep.)
- Cohen SR (see Downie et al). 1998;39:872-5 (Case rep.)
- Cohen SR (see Sapadin et al). 1998;39:338-4 (Case rep.)
- Cohn BA. Squamous cell carcinoma: Could it be the most common skin cancer? 1998;39:134-5 (Letter)
- Cohn BA. Sweating, calcium, and osteoporosis. 1998;39:1038-9 (Letter)
- Colsky A (see Valencia et al). 1998;39:864-6 (Case rep.)
- Comacchi C (see Lotti et al). 1998;39:667-87 (CME article)
- Conejo-Mir JS, Corbi R, Linares M. Carbon dioxide laser ablation associated with interferon alfa-2b injections reduces the recurrence of keloids. 1998;39:1039-40 (Letter)
- Constantopoulos A (see Kakourou et al). 1998;39:207-10
- Cook J, Zitelli JA. Mohs micrographic surgery: a cost analysis. 1998;39:698-703
- Corbi R (see Conejo-Mir et al). 1998;39:1039-40 (Letter)
- Cottam JA (see Glass et al). 1998;39:603-10 (Clin. rev.)
- Cotton J, Armstrong DJ, Wedig R, Hood AF. Melanoma-in-transit presenting as panniculitis. 1998;39:876-8 (Case rep.)
- Craig AJ, Cualing H, Thomas G, Lamerson C, Smith R. Cytophagic histiocytic panniculitis—a syndrome associated with benign and malignant panniculitis: case comparison and review of the literature. 1998;39:721-36
- Craig F (see Saleh et al). 1998;39:63-73 (Therapy)
- Credi P, Vienne M-P, Ochonisky S, Lauze C, Turlier V, Lagarde J-M, Dupuy P. Profilometric evaluation of photodamage after topical retinaldehyde and retinoic acid treatment. 1998;39:960-5 (Therapy)
- Cripps DJ (see Mehta et al). 1998;39:1024-8 (Brief comm.)
- Crissey JT, Parish LC. Two hundred years of dermatology. 1998;39:1002-6 (Special article)
- Crosby DL (see Warren et al). 1998;39:293-5 (Brief comm.)
- Crosti C (see Betti et al). 1998;39:363-4 (Case rep.)
- Cruz PD Jr (see Hamid et al). 1998;39:278-80 (Brief comm.)
- Cualing H (see Craig et al). 1998;39:721-36
- Cunningham BB, Landells IDR, Langman C, Sailer DE, Paller AS. Topical calcipotriene for morphea/linear scleroderma. 1998;39:211-5 (Therapy)
- Cvancara JL, Meffert JJ, Elston DM. Estrogen-sensitive cutaneous polyarteritis nodosa: response to tamoxifen. 1998;39:643-6 (Brief comm.)
- Cywiner-Golenzer C (see Lallemand et al). 1998;39:506-8 (Brief comm.)
- D
- Dabis F (see Mignard et al). 1998;39:298-9 (Letter)
- Dahl PR (see Davis et al). 1998;39:27-35
- D'Amico F (see Richert et al). 1998;39:571-7
- Dandurand M (see Guillot et al). 1998;39:137 (Letter reply)
- Davis MDP, Pernicario C, Dahl PR, Randle HW, McEvoy MT, Leiferman KM. Exaggerated arthropod-bite lesions in patients with chronic lymphocytic leukemia: a clinical, histopathologic, and immunopathologic study of eight patients. 1998;39:27-35
- de Boo T (see Seyger et al). 1998;39:220-5 (Therapy)
- De Doncker P (see Gupta et al). 1998;39:216-9 (Therapy)
- Degavre B (see Guillot et al). 1998;39:137 (Letter reply)
- de Jong EMGJ (see Seyger et al). 1998;39:220-5 (Therapy)
- del Giudice P. Treatment of eumycetoma. 1998;39:137 (Letter)
- Della-Latta P (see Weitzman et al). 1998;39:255-61 (Special rep.)
- del Pozo CB (see Miranda-Romero et al). 1998;39:655-7 (Brief comm.)

- de Moragas JM (see Pujol et al). 1998;39:853-7 (Case rep.)
DeVilleg R (see Kaufman et al). 1998;39:578-89 (Therapy)
DiCostanzo D (see Sapadin et al). 1998;39:338-4 (Case rep.)
Dicostanzo DP (see Downie et al). 1998;39:872-5 (Case rep.)
Dietrich SM (see Alonso-Llamazares et al). 1998;39:827-30 (Case rep.)
DiGiovanna JJ. Retinoid chemoprevention in the high-risk patient. 1998;39:S82-5
DiMaio DJM, Cohen PR. Trichilemmal horn: case presentation and literature review. 1998;39:368-71 (Case rep.)
Dirschka T, Kastner U, Behrens S, Altmeyer P. Successful treatment of pyoderma gangrenosum with intravenous human immunoglobulin. 1998;39:789-90 (Brief comm.)
Dobson RL. The Blue Journal. 1998;39:129 (Editorial)
Doğan B (see Taşkan et al). 1998;39:114-5 (Brief comm.)
Doutre MS (see Mignard et al). 1998;39:298-9 (Letter)
Dover JS (see Duke et al). 1998;39:488-90 (Brief comm.)
Downie JB, Dicostanzo DP, Cohen SR. Pemphigus vegetans—Neumann variant associated with intranasal heroin abuse. 1998;39:872-5 (Case rep.)
Drake LA, Goltz RW, Livingood CS, Ammonette R, Guidelines/Outcomes Committee. Recommendations for credentialing and privileging. 1998;39:765-86 (From the Academy)
Drexler H (see Letzel and Drexler). 1998;39:712-20
Duke D, Urioste SS, Dover JS, Anderson RR. A reaction to a red lip cosmetic tattoo. 1998;39:488-90 (Brief comm.)
Duncan KO, Imaeda S, Milstone LM. *Pneumocystis carinii* pneumonia complicating methotrexate treatment of pityriasis rubra pilaris. 1998;39:276-8 (Brief comm.)
Dupuy P (see Creidi et al). 1998;39:960-5 (Therapy)
Duvic M, Asano AT, Hager C, Mays S. The pathogenesis of psoriasis and the mechanism of action of tazarotene. 1998;39:S129-33
Duvic M, Marks R. Tazarotene: optimizing the therapeutic benefits of a new topical receptor-selective retinoid—introduction. 1998;39:S123
Duvic M (see Cather et al). 1998;39:858-63 (Case rep.)
Duvic M (see Peterson et al). 1998;39:434-8

E

- Eaglstien WH, Falanga V. Tissue engineering for skin: an update. 1998;39:1007-10 (Special rep.)
Eaglstien WH (see Falabella et al). 1998;39:737-40 (Therapy)
Egan CA, Gervels JW. Surgical Pearl: Use of a sponge bolster instead of a tie-over bolster as a less invasive method of securing full-thickness skin grafts. 1998;39:1000-1 (Pearls)
Egan CL, Oliveria SA, Elenitsas R, Hanson J, Halpern AC. Cutaneous melanoma risk and phenotypic changes in large congenital nevi: a follow-up study of 46 patients. 1998;39:923-32
El-Barnawi NY (see Giasuddin et al). 1998;39:940-3
Elenitsas R (see Egan et al). 1998;39:923-32
Elgart GW. Cutaneous necrosis associated with recombinant interferon injection. 1998;39:807-8 (Letter reply)
Ellis C (see Lebwohl et al). 1998;39:464-75 (Clin. rev.)
El-Orfi AHAM (see Giasuddin et al). 1998;39:940-3
Elson ML. The role of retinoids in wound healing. 1998;39:S79-81
Elston DM (see Cvanca et al). 1998;39:643-6 (Brief comm.)
Elston DM (see Gardner et al). 1998;39:504-5 (Brief comm.)
Ely P (see Ornstein and Ely). 1998;39:1023-4 (Brief comm.)
Eng W, Cohen PR. Nevus with fat: clinical characteristics of 100 nevi containing mature adipose cells. 1998;39:704-11
Engelhardt E (see Friedli et al). 1998;39:597-602 (Therapy)
English JC III, King DHC, Foley JP. Penile shaft hypopigmentation: lichen sclerosus occurring after the initiation of alprostadil intracavernous injections for erectile dysfunction. 1998;39:801-3 (Brief comm.)
Enjolras O. Neurotoxicity of interferon alfa in children treated for hemangiomas. 1998;39:1037 (Letter)

- Enk AH, Knop J. Treatment of relapsing idiopathic nodular panniculitis (Pfeifer-Weber-Christian disease) with mycophenolate mofetil. 1998;39:508-9 (Brief comm.)
Epstein E. Antimicrobial effects of lidocaine, bicarbonate, and epinephrine. 1998;39:518-9 (Letter)
Eriksen J (see Thomsen et al). 1998;39:187-90
Eun H-C (see Park et al). 1998;39:287-9 (Brief comm.)

F

- Faciuer D (see Bergman et al). 1998;39:554-9
Falabella AF. The anabolic steroid stanozolol upregulates collagen synthesis through the action of transforming growth factor- β 1. 1998;39:272-3 (From the Academy)
Falabella AF, Carson P, Eaglstien WH, Falanga V. The safety and efficacy of a proteolytic ointment in the treatment of chronic ulcers of the lower extremity. 1998;39:737-40 (Therapy)
Falanga V (see Eaglstien and Falanga). 1998;39:1007-10 (Special rep.)
Falanga V (see Falabella et al). 1998;39:737-40 (Therapy)
Farmer A (see Cather et al). 1998;39:858-63 (Case rep.)
Feldman BD (see Ross et al). 1998;39:975-81 (Derm. surg.)
Feldman SR, Peterson SR, Fleischer AB Jr. Dermatologists meet the primary care standard for first contact management of skin disease. 1998;39:182-6
Feldman SR (see Smith et al). 1998;39:43-7
Feldmann R (see Friedli et al). 1998;39:597-602 (Therapy)
Fenske NA (see Glass et al). 1998;39:603-10 (Clin. rev.)
Fenske NA (see Keller and Fenske). 1998;39:611-25 (Clin. rev.)
Fernandez MM (see Miranda-Romero et al). 1998;39:655-7 (Brief comm.)
Ferrández C (see Pujol et al). 1998;39:853-7 (Case rep.)
Fiedler VC (see Aronson et al). 1998;39:933-9
Finasteride Male Pattern Hair Loss Study (see Kaufman et al). 1998;39:578-89 (Therapy)
Fisher DA. Activated protein C resistance and anticardiolipin antibodies in patients with venous leg ulcers. 1998;39:299 (Letter)
Fleischer AB Jr (see Feldman et al). 1998;39:182-6
Fleischer AB Jr (see Smith et al). 1998;39:43-7
Flores F (see Berman and Flores). 1998;39:1040 (Letter reply)
Flores J, Berman B, Burdick A, Jonusas AM. The effectiveness of a new method for assessing induration. 1998;39:1021-2 (Brief comm.)
Flynn MK, Wee SA, Lane AT. Skin manifestations of mitochondrial DNA syndromes: case report and review. 1998;39:819-23 (Case rep.)
Foley JP (see English et al). 1998;39:801-3 (Brief comm.)
Ford MJ (see Machado et al). 1998;39:285-7 (Brief comm.)
Fortune DG, Richards HL, Main CJ, Griffiths CEM. What patients with psoriasis believe about their condition. 1998;39:196-201
Fosko SW, Gibney MD, Harrison B. Repetitive pinching of the skin during lidocaine infiltration reduces patient discomfort. 1998;39:74-8 (Derm. surg.)
Fosko SW, Heap D. Surgical Pearl: An economical means of skin closure with absorbable suture. 1998;39:248-50 (Pearls)
Fosko SW (see Allen and Fosko). 1998;39:295-7 (Brief comm.)
Foss F (see Saleh et al). 1998;39:63-73 (Therapy)
Frasier LD (see Siegfried and Frasier). 1998;39:1041-2 (Letter)
Freedberg IM, Kopf AW. A tribute to Rudolf L. Baer (1910-1997). 1998;39:513-5 (In memoriam)
Frei R (see Itin et al). 1998;39:401-9
Freytes CO (see Saleh et al). 1998;39:63-73 (Therapy)
Frieden IJ. Guidelines of care: hemangiomas of infancy. 1998;39:662 (Letter reply)
Friedli A, Labarthe MP, Engelhardt E, Feldmann R, Salomon D, Saurat J-H. Pulse methylprednisolone therapy for severe alopecia areata: an open prospective study of 45 patients. 1998;39:597-602 (Therapy)

- Friedman IS (see Sapadin and Friedman). 1998;39:1013-5 (Brief comm.)
 Friedman-Birnbaum R (see Bergman et al). 1998;39:554-9
 Fritsch L (see Lallemand et al). 1998;39:506-8 (Brief comm.)
 Fritsch P (see Weinlich et al). 1998;39:372-4 (Case rep.)
 Furukawa F (see Shirahama et al). 1998;39:352-5 (Case rep.)
 Fusaro RM (see Johnson and Fusaro). 1998;39:662-3 (Letter)

G

- Gaber Y (see Schmeller et al). 1998;39:232-8 (Therapy)
 Gage AA (see Kuflik and Gage). 1998;39:134 (Letter reply)
 Gallardo F, Vadillo M, Mitjavila F, Servitje O. Systemic lupus erythematosus after eosinophilic fasciitis: a case report. 1998;39:283-5 (Brief comm.)
 Gallardo F (see Marcoval et al). 1998;39:439-42
 Garcia C, Poletti E. Recurrent basal cell carcinoma treated with cryosurgery. 1998;39:134 (Letter)
 Gardner TL, Elston DM, Wotowic PJ. A familial dermatofibrosarcoma protuberans. 1998;39:504-5 (Brief comm.)
 Gat A (see Landau et al). 1998;39:1011-2 (Brief comm.)
 Gawkrödger DJ (see Cockayne and Gawkrödger). 1998;39:843-5 (Case rep.)
 Gehl H-B (see Schmeller et al). 1998;39:232-8 (Therapy)
 Gelmetti C (see Cambiaghi et al). 1998;39:638-40 (Brief comm.)
 Gelmetti C (see Cambiaghi et al). 1998;39:888-90 (Case rep.)
 Gendler EC. A practical approach to the use of retinoids in aging skin. 1998;39:S114-7
 Geronemus R (see Bernstein et al). 1998;39:746-50 (Derm. surg.)
 Gerwels JW (see Egan and Gerwels). 1998;39:1000-1 (Pearls)
 Gherstich I (see Lotti et al). 1998;39:667-87 (CME article)
 Giasuddin ASM, El-Orfi AHAM, Ziu MM, El-Barnawi NY. Sweet's syndrome: Is the pathogenesis mediated by helper T cell type 1 cytokines? 1998;39:940-3
 Gibney MD (see Fosko et al). 1998;39:74-8 (Derm. surg.)
 Gibson JR (see Lebwohl et al). 1998;39:590-6 (Therapy)
 Gibson LE (see Alonso-Llamazares et al). 1998;39:827-30 (Case rep.)
 Gilbert D (see Joly et al). 1998;39:691-7
 Gisoldi EM (see Lange et al). 1998;39:944-50
 Glass FL, Cottam JA, Reintgen DS, Fenske NA. Lymphatic mapping and sentinel node biopsy in the management of high-risk melanoma. 1998;39:603-10 (Clin. rev.)
 Glazenburg EJ (see Wolkerstorfer et al). 1998;39:226-31 (Therapy)
 Gloster HM Jr, Taylor AF. Surgical Pearl: The use of multiple different tissue specimens on the same glass slide to enhance the efficiency of frozen section preparation in Mohs micrographic surgery. 1998;39:107-8 (Pearls)
 Gniadecka M, Karlsmark T, Bertram A. Removal of dermal edema with class I and II compression stockings in patients with lipodermatosclerosis. 1998;39:966-70 (Therapy)
 Godwin L (see Cohen et al). 1998;39:98-106 (From the Academy)
 Goettmann S (see Perrin et al). 1998;39:560-4
 Goffe BS (see Lebwohl et al). 1998;39:590-6 (Therapy)
 Goh C-L (see Ng and Goh). 1998;39:646-8 (Brief comm.)
 Goldberg DJ (see Shriner et al). 1998;39:79-97 (Clin. rev.)
 Goldberg LH. Squamous cell carcinoma: Could it be the most common skin cancer? 1998;39:135-6 (Letter reply)
 Goldberg LH (see Bhat et al). 1998;39:1033-4 (Brief comm.)
 Golomb CA (see Iyengar et al). 1998;39:831-4 (Case rep.)
 Goltz RW (see Drake et al). 1998;39:765-86 (From the Academy)
 Gómez JIE (see Miranda-Romero et al). 1998;39:655-7 (Brief comm.)
 Gormley GJ (see Kaufman et al). 1998;39:578-89 (Therapy)
 Gottlieb A (see Lebwohl et al). 1998;39:464-75 (Clin. rev.)
 Gould JW, Helms SE, Schulz SM, Stevens SR. Relapsing livedo reticularis in the setting of chronic pancreatitis. 1998;39:1035-6 (Brief comm.)

- Goyal S, Griffiths WAD, Omarouayache S, Mohammadi R. An improved method of studying fingernail morphometry: application to the early detection of fingernail clubbing. 1998;39:640-2 (Brief comm.)
 Grabbe S (see Brehler et al). 1998;39:xx27 (Brief comm.)
 Gratwohl A (see Itin et al). 1998;39:401-9
 Greil R (see Weinlich et al). 1998;39:372-4 (Case rep.)
 Greiner D, Schöfer H, Milbradt R. Reversible transverse overcurvature of the nails (pincer nails) after treatment with a β -blocker. 1998;39:486-7 (Brief comm.)
 Griffin WA (see Nousari et al). 1998;39:497-8 (Brief comm.)
 Griffiths CEM. Assessment of topical retinoids for the treatment of Far-East Asian skin. 1998;39:S104-7
 Griffiths CEM (see Fortune et al). 1998;39:196-201
 Griffiths WAD (see Goyal et al). 1998;39:640-2 (Brief comm.)
 Gross EA, Rogers GS. A side-by-side comparison of carbon dioxide resurfacing lasers for the treatment of rhytides. 1998;39:547-53
 Grossman D, Heald PW, Rinder HM. Activated protein C resistance and anticardiolipin antibodies in patients with venous leg ulcers. 1998;39:299-300 (Letter reply)
 Grossman JR (see Lebwohl et al). 1998;39:590-6 (Therapy)
 Grossman M (see Squeo et al). 1998;39:379-80 (Case rep.)
 Grossman ME (see Lieberman et al). 1998;39:290-1 (Brief comm.)
 Grossman RM (see Lange et al). 1998;39:944-50
 Gruber D (see Aronson et al). 1998;39:933-9
 Grunwald MH (see Hallel-Halevy et al). 1998;39:500-1 (Brief comm.)
 Gruss C, Behrens S, Reuther T, Husebo L, Neumann N, Altmeyer P, Lehmann P, Kerscher M. Kinetics of photosensitivity in bath-PUVA photochemotherapy. 1998;39:443-6 (Therapy)
 Guarnieri J (see Lange et al). 1998;39:944-50
 Guidelines/Outcomes Committee (see Drake et al). 1998;39:765-86 (From the Academy)
 Guillot B, Degavre B, Dandurand M. Treatment of eumycetoma. 1998;39:137 (Letter reply)
 Gupta AK, Hofstadter SLR, Summerbell RC, Solomon R, Adam P, Alexis M, Raboobee N, De Doncker P. Treatment of tinea capitis with itraconazole capsule pulse therapy. 1998;39:216-9 (Therapy)
 Gupta AK, Horgan-Bell CB, Summerbell RC. Onychomycosis associated with *Onychocola canadensis*: ten case reports and a review of the literature. 1998;39:410-7
 Gupta AK (see Hull et al). 1998;39:1015-7 (Brief comm.)
 Gutman M (see Landau et al). 1998;39:1011-2 (Brief comm.)

H

- Hager C (see Duvic et al). 1998;39:S129-33
 Haimowitz JE. Guidelines of care: hemangiomas of infancy. 1998;39:662 (Letter)
 Halder RM. The role of retinoids in the management of cutaneous conditions in blacks. 1998;39:S98-103
 Halevy S (see Hallel-Halevy et al). 1998;39:500-1 (Brief comm.)
 Hallel-Halevy D, Grunwald MH, Yerushalmi J, Halevy S. Bullous lichen sclerosus et atrophicus. 1998;39:500-1 (Brief comm.)
 Halpern AC (see Egan et al). 1998;39:923-32
 Hamid S, Cruz PD Jr, Lee WM. Urticarial vasculitis caused by hepatitis C virus infection: response to interferon alfa therapy. 1998;39:278-80 (Brief comm.)
 Hamilton T (see Johnson et al). 1998;39:422-7
 Hamm H (see Hofmann et al). 1998;39:326-9 (Case rep.)
 Hann s-K (see Youn et al). 1998;39:301-4 (Case rep.)
 Hanson J (see Egan et al). 1998;39:923-32
 Hari Y (see Yawalkar et al). 1998;39:790-3 (Brief comm.)
 Harmaneri Y (see Taskapan and Harmaneri). 1998;39:138 (Letter)
 Harmaneri Y (see Taskapan et al). 1998;39:114-5 (Brief comm.)
 Harrison B (see Fosko et al). 1998;39:74-8 (Derm. surg.)

- Hashimoto K. Linear focal elastosis: keloidal repair of striae distensae. 1998;39:309-13 (Case rep.)
- Heald PW (see Grossman et al). 1998;39:299-300 (Letter reply)
- Heap D (see Fosko and Heap). 1998;39:248-50 (Pearls)
- Hecker MS (see Weinberg and Hecker). 1998;39:516-7 (Letter reply)
- Helbling A (see Yawalkar et al). 1998;39:790-3 (Brief comm.)
- Hellinger WC (see Ng and Hellinger). 1998;39:793-4 (Brief comm.)
- Helms SE (see Gould et al). 1998;39:1035-6 (Brief comm.)
- Hertz E (see Bergman et al). 1998;39:554-9
- Hickman J (see Lange et al). 1998;39:944-50
- Hofmann B, Lehmann P, Ruzicka T. Syphilis brephrophthica. 1998;39:1042 (Letter reply)
- Hofmann UB, Ogilvie P, Müllges W, Bröcker E-B, Hamm H. Congenital unilateral speckled lentiginous blue nevi with asymmetric spinal muscular atrophy. 1998;39:326-9 (Case rep.)
- Hofstadter SLR (see Gupta et al). 1998;39:216-9 (Therapy)
- Holmes S, Mann C. Botulinum toxin in the treatment of palmar hyperhidrosis. 1998;39:1040-1 (Letter)
- Hood AF (see Cotton et al). 1998;39:876-8 (Case rep.)
- Hordinsky M (see Kaufman et al). 1998;39:578-89 (Therapy)
- Horgan-Bell CB (see Gupta et al). 1998;39:410-7
- Horio T (see Miyauchi-Hashimoto et al). 1998;39:565-70
- Hornyak TJ. Regulation of dopachrome tautomerase expression and use in the study of melanocyte development. 1998;39:273-4 (From the Academy)
- Houck HE (see Missner et al). 1998;39:846-9 (Case rep.)
- Hsia J (see Bernstein et al). 1998;39:746-50 (Derm. surg.)
- Hsu M-C. Systemic treatment of neoplastic conditions with retinoids. 1998;39:S108-13
- Hsu S (see Lee et al). 1998;39:850-2 (Case rep.)
- Huang C (see Sahin et al). 1998;39:428-33
- Huang CL, Provost N, Marghoob AA, Kopf AW, Levin L, Bart RS. Laboratory tests and imaging studies in patients with cutaneous malignant melanoma. 1998;39:451-63 (Clin. rev.)
- Hull PR, Gupta AK, Summerbell RC. Onychomycosis: an evaluation of three sampling methods. 1998;39:1015-7 (Brief comm.)
- Humeniuk JM (see Lange et al). 1998;39:944-50
- Husebo L (see Gruss et al). 1998;39:443-6 (Therapy)
- Hynes L, Shenefelt PD. Acquired unilateral nevus telangiectasia syndrome. 1998;39:138-9 (Letter reply)
- I**
- Iacocca MV, Abernethy JL, Stefanato CM, Allan AE, Bhawan J. Mixed Merkel cell carcinoma and squamous cell carcinoma of the skin. 1998;39:882-7 (Case rep.)
- Ichihashi N (see Kanoh et al). 1998;39:635-7 (Brief comm.)
- Ichiki Y (see Kanoh et al). 1998;39:635-7 (Brief comm.)
- Ikenaga M (see Miyauchi-Hashimoto et al). 1998;39:565-70
- Imaeda S (see Duncan et al). 1998;39:276-8 (Brief comm.)
- Inoue T (see Miyamoto et al). 1998;39:498-500 (Brief comm.)
- Inselvini E (see Betti et al). 1998;39:363-4 (Case rep.)
- Isaac M (see Burov et al). 1998;39:345-8 (Case rep.)
- Ishioka S (see Miyamoto et al). 1998;39:498-500 (Brief comm.)
- Itin PH, Frei R, Lautenschlager S, Buechner SA, Surber C, Gratwohl A, Widmer AF. Cutaneous manifestations of *Paecilomyces lilacinus* infection induced by a contaminated skin lotion in patients who are severely immunosuppressed. 1998;39:401-9
- Iyengar V, Golomb CA, Schachner L. Neurilemmomatosis, NF2, and juvenile xanthogranuloma. 1998;39:831-4 (Case rep.)
- J**
- Jackow C (see Cather et al). 1998;39:858-63 (Case rep.)
- Jackson JM, Callen JP. Scarring alopecia and sclerodermatous changes of the scalp in a patient with hepatitis C infection. 1998;39:824-6 (Case rep.)
- Jakob T. Regulation of E-cadherin function in skin-derived dendritic cells by proinflammatory epidermal cytokines: implications for the mobilization of Langerhans cells in vivo. 1998;39:274-5 (From the Academy)
- Jang K-A, Choi J-H, Sung K-J, Moon K-C, Koh J-K. Cutaneous metastasis presenting as facial lymphedema. 1998;39:637-8 (Brief comm.)
- Jemec GBE, Wendelboe P. Topical clindamycin versus systemic tetracycline in the treatment of hidradenitis suppurativa. 1998;39:971-4 (Therapy)
- Jick H. Retinoids and teratogenicity. 1998;39:S118-22
- Jih DM, Werth VP. Thrombocytopenia after a single test dose of methotrexate. 1998;39:349-51 (Case rep.)
- Johnson JA, Fusaro RM. Photosensitivity of the American Indian: terminology and historical aspects. 1998;39:662-3 (Letter)
- Johnson TM, Hamilton T, Lowe L. Multiple primary melanomas. 1998;39:422-7
- Joly P, Tanasescu S, Wolkenstein P, Bocquet H, Gilbert D, Thomine E, Wechsler J, Roujeau JC, Revuz J, Tron F, Lauret Ph. Lichenoid erythrodermic bullous pemphigoid of the African patient. 1998;39:691-7
- Jonas AM (see Flores et al). 1998;39:1021-2 (Brief comm.)
- Jorizzo JL, Lebwohl M, Tobey RE. The efficacy of metronidazole 1% cream once daily compared with metronidazole 1% cream twice daily and their vehicles in rosacea: a double-blind clinical trial. 1998;39:502-4 (Brief comm.)
- Jorizzo JL (see Lotti et al). 1998;39:667-87 (CME article)
- Julian CG, Bowers PW. A clinical review of 209 pilomatricomas. 1998;39:191-5
- K**
- Kaatz M (see Wilmer et al). 1998;39:126-8 (Brief comm.)
- Kageyama N (see Lewis and Kageyama). 1998;39:664 (Letter)
- Kakourou T, Theodoridou M, Mostrou G, Syriopoulou V, Papadogeorgaki H, Constantopoulos A. Herpes zoster in children. 1998;39:207-10
- Kalish RS. Teleconferencing technology for dermatology. 1998;39:136-7 (Letter)
- Kamiya H (see Kanoh et al). 1998;39:635-7 (Brief comm.)
- Kang S. Topical tretinoin therapy for management of early striae. 1998;39:S90-2
- Kang S, Voorhees JJ. Photoaging therapy with topical tretinoin: an evidence-based analysis. 1998;39:S55-61
- Kano Y, Otake Y, Shiohara T. Improvement of lichen nitidus after topical dinitrochlorobenzene application. 1998;39:305-8 (Case rep.)
- Kano Y, Shiohara T. Pentoxifylline for Schamberg's disease. 1998;39:298 (Letter reply)
- Kanoh H, Ichihashi N, Kamiya H, Seishima M, Akiyama T, Ichiki Y, Kitajima Y. Linear pustular psoriasis that developed in a patient with generalized pustular psoriasis. 1998;39:635-7 (Brief comm.)
- Kantor GR (see Burov et al). 1998;39:345-8 (Case rep.)
- Kappeler A (see Yawalkar et al). 1998;39:790-3 (Brief comm.)
- Karlsmark T (see Gniadecka et al). 1998;39:966-70 (Therapy)
- Kastner U (see Dirschka et al). 1998;39:789-90 (Brief comm.)
- Kauffman CL (see Missner et al). 1998;39:846-9 (Case rep.)
- Kaufman KD, Olsen EA, Whiting D, Savin R, DeVillez R, Bergfeld W, Price VH, Van Neste D, Roberts JL, Hordinsky M, Shapiro J, Binkowitz B, Gormley GJ, Finasteride Male Pattern Hair Loss Study Group. Finasteride in the treatment of men with androgenetic alopecia. 1998;39:578-89 (Therapy)
- Kawaguchi M (see Miyamoto et al). 1998;39:498-500 (Brief comm.)
- Keller KL, Fenske NA. Uses of vitamins A, C, and E and related compounds in dermatology: a review. 1998;39:611-25 (Clin. rev.)
- Kerner H (see Bergman et al). 1998;39:554-9
- Kerscher M (see Gruss et al). 1998;39:443-6 (Therapy)
- Kim M (see Lim et al). 1998;39:956-9
- Kimyai-Asadi A (see Nousari et al). 1998;39:653-4 (Brief comm.)

- King DHC (see English et al). 1998;39:801-3 (Brief comm.)
 King LE Jr (see Sullivan et al). 1998;39:993-9 (Clin. rev.)
 Kitajima Y (see Kanoh et al). 1998;39:635-7 (Brief comm.)
 Klausner JM (see Landau et al). 1998;39:1011-2 (Brief comm.)
 Klausner MA (see Lange et al). 1998;39:944-50
 Klein PA, Appel J, Callen JP. Sarcoidosis of the vulva: a rare cutaneous manifestation. 1998;39:281-3 (Brief comm.)
 Kligman A (see Piacquadio and Kligman). 1998;39:S67-73
 Kligman AM. The growing importance of topical retinoids in clinical dermatology: a retrospective and prospective analysis. 1998;39:S2-7
 Kligman AM (see Kligman et al). 1998;39:S93-7
 Kligman DE, Sadiq I, Pagnoni A, Stoudemayer T, Kligman AM. High-strength tretinoin: a method for rapid retinization of facial skin. 1998;39:S93-7
 Knapik JJ, Reynolds K, Barson J. Influence of an antiperspirant on foot blister incidence during cross-country hiking. 1998;39:202-6
 Knoell KA, Becker D. Flutter valve purpura. 1998;39:292-3 (Brief comm.)
 Knoell KA, Nelson KC, Patterson JW. Familial multiple blue nevi. 1998;39:322-5 (Case rep.)
 Knop J (see Enk and Knop). 1998;39:508-9 (Brief comm.)
 Koblenzer PS (see Lee and Koblenzer). 1998;39:835-8 (Case rep.)
 Koenig K (see Sahin et al). 1998;39:428-33
 Kofler H (see Weinlich et al). 1998;39:372-4 (Case rep.)
 Koh J-K (see Jang et al). 1998;39:637-8 (Brief comm.)
 Koo J-Y (see Lebwohl et al). 1998;39:464-75 (Clin. rev.)
 Koo JY. Tazarotene in combination with phototherapy. 1998;39:S144-8
 Kopf AW (see Freedberg and Kopf). 1998;39:513-5 (In memoriam)
 Kopf AW (see Huang et al). 1998;39:451-63 (Clin. rev.)
 Kopf AW (see Sahin et al). 1998;39:428-33
 Kosann MK (see Cohen et al). 1998;39:98-106 (From the Academy)
 Kovacs SC (see Kovacs and Kovacs). 1998;39:899-920 (CME article)
 Kovacs SO, Kovacs SC. Dermatomyositis. 1998;39:899-920 (CME article)
 Kowalski JV (see Stefanato et al). 1998;39:375-8 (Case rep.)
 Krell K (see Stern et al). 1998;39:48-55
 Krueger G (see Lebwohl et al). 1998;39:464-75 (Clin. rev.)
 Krutmann J (see Stege and Krutmann). 1998;39:517-8 (Letter reply)
 Kufflik EG, Gage AA. Recurrent basal cell carcinoma treated with cryosurgery. 1998;39:134 (Letter reply)
 Kullavanijaya P (see Ungpakorn and Kullavanijaya). 1998;39:136 (Letter reply)
 Kullavanijaya P (see Ungpakorn et al). 1998;39:654-5 (Brief comm.)
 Kumano K (see Murata et al). 1998;39:314-7 (Case rep.)
 Kunjajunju N (see Weitzman et al). 1998;39:255-61 (Special rep.)
 Kunte C, Loeser C, Wolff H. Folliculitis spinulosa decalvans: successful therapy with dapson. 1998;39:891-3 (Case rep.)
 Kuzel TM (see Saleh et al). 1998;39:63-73 (Therapy)
- L**
- Labarthe MP (see Friedli et al). 1998;39:597-602 (Therapy)
 Lagarde J-M (see Creidi et al). 1998;39:960-5 (Therapy)
 Lallemand F, Fritsch L, Cywiner-Golenz C, Rozenbaum W. Multiple myeloma in an HIV-positive man presenting with primary cutaneous plasmacytomas and spinal cord compression. 1998;39:506-8 (Brief comm.)
 Lamb P (see Menaker et al). 1998;39:478-80 (Pearls)
 Lamerson C (see Craig et al). 1998;39:721-36
 Landau M, Brenner S, Gat A, Klausner JM, Gutman M. Reticulate scleroderma after isolated limb perfusion with melphalan. 1998;39:1011-2 (Brief comm.)
 Landeck A, Newman N, Bredon J, Zahner S. A simple technique for ear piercing. 1998;39:795-6 (Brief comm.)
 Landells IDR (see Cunningham et al). 1998;39:211-5 (Therapy)
 Lane AT (see Flynn et al). 1998;39:819-23 (Case rep.)
 Lange DS, Richards HM, Guarneri J, Humeniuk JM, Savin RC, Reyes BA, Hickman J, Pariser DM, Pariser RJ, Sherertz EF, Grossman RM, Gisoldi EM, Klausner MA. Ketoconazole 2% shampoo in the treatment of tinea versicolor: a multicenter, randomized, double-blind, placebo-controlled trial. 1998;39:944-50
 Langman C (see Cunningham et al). 1998;39:211-5 (Therapy)
 Lask G (see Bernstein et al). 1998;39:746-50 (Derm. surg.)
 Latriano L (see Shapiro and Latriano). 1998;39:S13-6
 Lauret Ph (see Joly et al). 1998;39:691-7
 Lautenschlager S (see Itin et al). 1998;39:401-9
 Lauze C (see Creidi et al). 1998;39:960-5 (Therapy)
 Lazova R (see Bologna et al). 1998;39:330-3 (Case rep.)
 Lebwohl M, Ellis C, Gottlieb A, Koo J, Krueger G, Linden K, Shupack J, Weinstein G. Cyclosporine consensus conference: with emphasis on the treatment of psoriasis. 1998;39:464-75 (Clin. rev.)
 Lebwohl M, Poulin Y. Tazarotene in combination with topical corticosteroids. 1998;39:S139-43
 Lebwohl M, Yoles A, Lombardi K, Lou W. Calcipotriene ointment and halobetasol ointment in the long-term treatment of psoriasis: effects on the duration of improvement. 1998;39:447-50 (Therapy)
 Lebwohl M (see Jorizzo et al). 1998;39:502-4 (Brief comm.)
 Lebwohl MG, Breneman DL, Goffe BS, Grossman JR, Ling MR, Milbauer J, Pincus SH, Sibbald RG, Swinyer LJ, Weinstein GD, Lew-Kaya DA, Luc JC, Gibson JR, Sefton J. Tazarotene 0.1% gel plus corticosteroid cream in the treatment of plaque psoriasis. 1998;39:590-6 (Therapy)
 Lebwohl MG (see Sapadin et al). 1998;39:338-4 (Case rep.)
 Lee J (see Bernstein et al). 1998;39:746-50 (Derm. surg.)
 Lee JB, Koblenzer PS. Disfiguring cutaneous manifestation of sarcoidosis treated with thalidomide: a case report. 1998;39:835-8 (Case rep.)
 Lee M-G (see Youn et al). 1998;39:301-4 (Case rep.)
 Lee M-WC, Hsu S, Rosen T. Spores and mycelia in cutaneous chromomycosis. 1998;39:850-2 (Case rep.)
 Lee WM (see Hamid et al). 1998;39:278-80 (Brief comm.)
 Lehmann P (see Gruss et al). 1998;39:443-6 (Therapy)
 Lehmann P (see Hofmann et al). 1998;39:1042 (Letter reply)
 Leiferman KM (see Davis et al). 1998;39:27-35
 Leis PF (see Stevens et al). 1998;39:509-12 (Brief comm.)
 LeMaistre CF (see Saleh et al). 1998;39:63-73 (Therapy)
 Letzel S, Drexler H. Occupationally related tumors in tar refinery workers. 1998;39:712-20
 Levin L (see Huang et al). 1998;39:451-63 (Clin. rev.)
 Levin L (see Sahin et al). 1998;39:428-33
 Levine N. Role of retinoids in skin cancer treatment and prevention. 1998;39:S62-6
 Lewis EJ, Kageyama N. The mechanism of "suction." 1998;39:664 (Letter)
 Lew-Kaya DA (see Lebwohl et al). 1998;39:590-6 (Therapy)
 Leyden JJ. The role of isotretinoin in the treatment of acne: personal observations. 1998;39:S45-9
 Lieberman A, Grossman ME, Silvers DN. Muckle-Wells syndrome: case report and review of cutaneous pathology. 1998;39:290-1 (Brief comm.)
 Lim HW, Pereira A, Sassa S, Kim M, Zolla-Pazner S. Early-stage HIV infection and hepatitis C virus infection are associated with elevated serum porphyrin levels. 1998;39:956-9
 Linares M (see Conejo-Mir et al). 1998;39:1039-40 (Letter)
 Linden K (see Lebwohl et al). 1998;39:464-75 (Clin. rev.)
 Ling MR (see Lebwohl et al). 1998;39:590-6 (Therapy)
 Livingood CS (see Drake et al). 1998;39:765-86 (From the Academy)
 Lo KK (see Su et al). 1998;39:517 (Letter)
 Loeser C (see Kunte et al). 1998;39:891-3 (Case rep.)
 Lombardi K (see Lebwohl et al). 1998;39:447-50 (Therapy)
 Lotti T, Ghersetich I, Comacchi C, Jorizzo JL. Cutaneous small-vessel vasculitis. 1998;39:667-87 (CME article)

- Lou W (see Lebwohl et al). 1998;39:447-50 (Therapy)
Lowe L (see Johnson et al). 1998;39:422-7
Lowery J (see Bernstein et al). 1998;39:746-50 (Derm. surg.)
Lue JC (see Lebwohl et al). 1998;39:590-6 (Therapy)

M

- Machado LS, Sleasman JW, Ford MJ. *Bacillus* species infection of the skin as a presentation of severe combined immunodeficiency disease. 1998;39:285-7 (Brief comm.)
Magaña M. Photosensitivity of the American Indian: terminology and historical aspects. 1998;39:663-4 (Letter reply)
Maihara T (see Miyauchi-Hashimoto et al). 1998;39:565-70
Main CJ (see Fortune et al). 1998;39:196-201
Maize JC (see Acker et al). 1998;39:239-45 (Dermatopathology)
Manders SM. Toxin-mediated streptococcal and staphylococcal disease. 1998;39:383-98 (CME article)
Mann C (see Holmes and Mann). 1998;39:1040-1 (Letter)
Manning JT (see Cather et al). 1998;39:858-63 (Case rep.)
Manov L (see Bergman et al). 1998;39:554-9
Marcoval J, Moreno A, Bordas X, Gallardo F, Peyrí J. Diffuse plane xanthoma: clinicopathologic study of 8 cases. 1998;39:439-42
Marghoob AA (see Huang et al). 1998;39:451-63 (Clin. rev.)
Marks R. Pharmacokinetics and safety review of tazarotene. 1998;39: S134-8
Marks R (see Duvic and Marks). 1998;39:S123
Massa MC (see Paquette and Massa). 1998;39:1032-3 (Brief comm.)
Massone L (see Stefanato et al). 1998;39:375-8 (Case rep.)
Matias-Guiu X (see Pujol et al). 1998;39:853-7 (Case rep.)
Maurer O (see Brehler et al). 1998;39:1017-21 (Brief comm.)
Mays S (see Duvic et al). 1998;39:S129-33
Mayser P, Mrowietz U, Arenberger P, Bartak P, Buchvald J, Christophers E, Jablonska S, Salmhofer W, Schill W-B, Krämer H-J, Schlotzer E, Mayer K, Seeger W, Grimminger F. ω Fatty acid-based lipid infusion in patients with chronic plaque psoriasis: results of a double-blind, randomized, placebo-controlled, multicenter trial (1998;38:539-47). 1998;39:421 (Correction)
McCoy DK (see Shriner et al). 1998;39:79-97 (Clin. rev.)
McEvoy MT (see Davis et al). 1998;39:27-35
Meffert JJ (see Cvanara et al). 1998;39:643-6 (Brief comm.)
Mehregan DA, Thomas JE, Mehregan DR. Intertriginous granular parakeratosis. 1998;39:495-6 (Brief comm.)
Mehregan DR (see Mehregan et al). 1998;39:495-6 (Brief comm.)
Mehta CL, Cripps DJ, Tyler RJ. Granulomatous dermatitis with focal sarcoidal features associated with recombinant interferon β -1b injections. 1998;39:1024-8 (Brief comm.)
Menaker GM, Moy RL, Lamb P. Surgical Pearl: Dermal advancement flaps for filling deep dorsal nasal defects under grafts. 1998;39:478-80 (Pearls)
Mentzel T (see Wilmer et al). 1998;39:126-8 (Brief comm.)
Metcalf DD (see Shah et al). 1998;39:119-21 (Brief comm.)
Mignard M, Spira RM, Morlat P, Dabis F, Doutré MS. Correlation of skin disorders with CD4 lymphocyte counts in patients with HIV/AIDS. 1998;39:298-9 (Letter)
Mihara M (see Miyamoto et al). 1998;39:498-500 (Brief comm.)
Milbauer J (see Lebwohl et al). 1998;39:590-6 (Therapy)
Milbradt R (see Greiner et al). 1998;39:486-7 (Brief comm.)
Miller OF (see Papa and Miller). 1998;39:115-7 (Brief comm.)
Mills DK (see Stern et al). 1998;39:48-55
Milstone LM (see Duncan et al). 1998;39:276-8 (Brief comm.)
Miranda-Romero A, Sambucety S, del Pozo CB, Fernandez MM, Gómez JIE, Muñoz MG. Unilateral hyperkeratosis lenticularis perstans (Flegel's disease). 1998;39:655-7 (Brief comm.)
Missner SC, Ramsay EW, Houck HE, Kauffman CL. Graves' disease presenting as localized myxedema in a thigh donor graft site. 1998;39:846-9 (Case rep.)
Mitjavila F (see Gallardo et al). 1998;39:283-5 (Brief comm.)
Miyamoto T, Sasaoka R, Kawaguchi M, Ishioka S, Inoue T, Yamada N, Mihara M. *Scedosporium apiospermum* skin infection: a case report and review of the literature. 1998;39:498-500 (Brief comm.)
Miyauchi-Hashimoto H, Akaeda T, Maihara T, Ikenaga M, Horio T. Cockayne syndrome without typical clinical manifestations including neurologic abnormalities. 1998;39:565-70
Mohammedi R (see Goyal et al). 1998;39:640-2 (Brief comm.)
Moneghini L (see Betti et al). 1998;39:363-4 (Case rep.)
Moon K-C (see Jang et al). 1998;39:637-8 (Brief comm.)
Moon T-K (see Youn et al). 1998;39:301-4 (Case rep.)
Moreno A (see Marcoval et al). 1998;39:439-42
Morlat P (see Mignard et al). 1998;39:298-9 (Letter)
Mostrou G (see Kakourou et al). 1998;39:207-10
Moy RL (see Menaker et al). 1998;39:478-80 (Pearls)
Muchenberger S (see Weiss et al). 1998;39:117-9 (Brief comm.)
Mulder PGH (see Wolkerstorfer et al). 1998;39:226-31 (Therapy)
Müllges W (see Hofmann et al). 1998;39:326-9 (Case rep.)
Muñoz MG (see Miranda-Romero et al). 1998;39:655-7 (Brief comm.)
Murata Y, Kumano K, Ueda T, Araki N, Nakamura T, Tani M. Photosensitive dermatitis caused by pyridoxine hydrochloride. 1998;39:314-7 (Case rep.)

N

- Nadal C (see Pujol et al). 1998;39:853-7 (Case rep.)
Nagore E, Sánchez-Motilla JM, Rodríguez-Serna M, Vilata JJ, Aliaga A. Lipotrophica semicircularis—a traumatic panniculitis: report of seven cases and review of the literature. 1998;39:879-81 (Case rep.)
Nakamura T (see Murata et al). 1998;39:314-7 (Case rep.)
Nelson KC (see Knoell et al). 1998;39:322-5 (Case rep.)
Nelson-Adesokan P (see Carrington et al). 1998;39:334-7 (Case rep.)
Neumann N (see Gruss et al). 1998;39:443-6 (Therapy)
Neumann NJ (see Schulte et al). 1998;39:629-30 (Pearls)
Newman N (see Landeck et al). 1998;39:795-6 (Brief comm.)
Ng CS, Hellinger WC. Superficial cutaneous abscess and multiple brain abscesses from *Nocardia asteroides* in an immunocompetent patient. 1998;39:793-4 (Brief comm.)
Ng PP-L, Goh C-L. Sparing of tuberculoïd leprosy patch in a patient with dapsone hypersensitivity syndrome. 1998;39:646-8 (Brief comm.)
Nichols JC (see Saleh et al). 1998;39:63-73 (Therapy)
Nicholson JH (see Acker et al). 1998;39:239-45 (Dermatopathology)
Nicolini U (see Cambiaghi et al). 1998;39:638-40 (Brief comm.)
Noel J-Ch (see Sass et al). 1998;39:490-3 (Brief comm.)
Nopper AJ (see Warren et al). 1998;39:293-5 (Brief comm.)
Norton SA. Useful plants of dermatology. IV. Alizarin red and madder. 1998;39:484-5 (Special article)
Norton SA. Useful plants of dermatology. V. *Capsicum* and capsaicin. 1998;39:626-8 (Special article)
Nousari HC, Griffin WA, Anhalt GJ. Successful therapy for bullous pemphigoid with mycophenolate mofetil. 1998;39:497-8 (Brief comm.)
Nousari HC, Kimyai-Asadi A, Spegman DJ. Paraneoplastic dermatomyositis presenting as erythroderma. 1998;39:653-4 (Brief comm.)

O

- Ochonsky S (see Creidi et al). 1998;39:960-5 (Therapy)
Odom R. Managing actinic keratoses with retinoids. 1998;39:S74-8
Ogilvie P (see Hofmann et al). 1998;39:326-9 (Case rep.)
Oliveria SA (see Egan et al). 1998;39:923-32
Olsen EA (see Kaufman et al). 1998;39:578-89 (Therapy)
Omarouayache S (see Goyal et al). 1998;39:640-2 (Brief comm.)
Oranje AP (see Wolkerstorfer et al). 1998;39:226-31 (Therapy)
Orengo I (see Stevens et al). 1998;39:509-12 (Brief comm.)

- Ornstein DL, Ely P. Reversible agranulocytosis associated with oral terbinafine for onychomycosis. 1998;39:1023-4 (Brief comm.)
 Otake Y (see Kano et al). 1998;39:305-8 (Case rep.)
 Otley CC, Sherris DA. Spectrum of cartilage grafting in cutaneous reconstructive surgery. 1998;39:982-92 (Derm. surg.)

P

- Pagnoni A (see Kligman et al). 1998;39:593-7
 Palay D (see Chen et al). 1998;39:356-8 (Case rep.)
 Paller AS (see Cunningham et al). 1998;39:211-5 (Therapy)
 Palou J (see Pujol et al). 1998;39:853-7 (Case rep.)
 Papa CA, Miller OF. Pustular psoriasisiform eruption with leukocytosis associated with terbinafine. 1998;39:115-7 (Brief comm.)
 Papadogeorgaki H (see Kakourou et al). 1998;39:207-10
 Paquette DL, Massa MC. An unusual presentation of syringomas on the buttocks. 1998;39:xx24 (Brief comm.)
 Pariser DM (see Lange et al). 1998;39:944-50
 Pariser RJ (see Lange et al). 1998;39:944-50
 Parish LC (see Crissey and Parish). 1998;39:1002-6 (Special article)
 Park B-S, Cho K-H, Eun H-C, Youn J-I. Subcorneal pustular dermatosis in a patient with aplastic anemia. 1998;39:287-9 (Brief comm.)
 Patterson JW (see Kneoll et al). 1998;39:322-5 (Case rep.)
 Pazzini C (see Betti et al). 1998;39:363-4 (Case rep.)
 Pellacani G (see Seidenari et al). 1998;39:175-81
 Peñas PF, Carvajal I. D-Penicillamine-induced pemphigus foliaceus with autoantibodies to desmoglein-1. 1998;39:138 (Letter reply)
 Pepe P (see Seidenari et al). 1998;39:175-81
 Pereira A (see Lim et al). 1998;39:956-9
 Pernicaro C (see Davis et al). 1998;39:27-35
 Perrin Ch, Goettmann S, Baran R. Onychomatricoma: clinical and histopathologic findings in 12 cases. 1998;39:560-4
 Peter RU (see Voit et al). 1998;39:1030-2 (Brief comm.)
 Peters S (see Stevens et al). 1998;39:509-12 (Brief comm.)
 Peterson SR, Talpur R, Duvic M. Antinuclear antibody seropositivity in patients with cutaneous T-cell lymphoma. 1998;39:434-8
 Peterson SR (see Feldman et al). 1998;39:182-6
 Peyrí J (see Marcoval et al). 1998;39:439-42
 Peyrí J (see Pujol et al). 1998;39:853-7 (Case rep.)
 Phelps RG (see Sapadin et al). 1998;39:338-4 (Case rep.)
 Piacquadro D, Kligman A. The critical role of the vehicle to therapeutic efficacy and patient compliance. 1998;39:S67-73
 Pichler WJ (see Yawalkar et al). 1998;39:790-3 (Brief comm.)
 Piérard GE (see Arrese and Piérard). 1998;39:809-10 (Letter)
 Pincus SH (see Lebwohl et al). 1998;39:590-6 (Therapy)
 Platanias LC (see Saleh et al). 1998;39:63-73 (Therapy)
 Poletti E (see Garcia and Poletti). 1998;39:134 (Letter)
 Poulin Y (see Lebwohl and Poulin). 1998;39:S139-43
 Pratt M (see Cohen et al). 1998;39:98-106 (From the Academy)
 Praver S (see Cohen et al). 1998;39:98-106 (From the Academy)
 Price VH (see Kaufman et al). 1998;39:578-89 (Therapy)
 Primka EJ III, Camisa C. Psoriasis and bullous pemphigoid treated with azathioprine. 1998;39:121-3 (Brief comm.)
 Proctor-Shipman L (see Ross et al). 1998;39:975-81 (Derm. surg.)
 Proebstle T (see Voit et al). 1998;39:1030-2 (Brief comm.)
 Provost N (see Huang et al). 1998;39:451-63 (Clin. rev.)
 Pujol RM, Nadal C, Matias-Guiu X, Peyrí J, Ferrándiz C, Palou J, de Moragas JM. Multiple follicular hamartomas with sweat gland and sebaceous differentiation, vermiculate atrophoderma, milia, hypotrichosis, and late development of multiple basal cell carcinomas. 1998;39:853-7 (Case rep.)
 Pujol RM, Rocamora V, Taberner R, Alomar A. Persistent suprapurpuric erythematous eruption: a rare local complication of intravenous 5-fluorouracil therapy. 1998;39:839-42 (Case rep.)
 Ramsay EW (see Missner et al). 1998;39:846-9 (Case rep.)
 Ramsey ML (see Albertini and Ramsey). 1998;39:787-8 (Pearls)
 Randle HW (see Davis et al). 1998;39:27-35
 Rao BK (see Sahin et al). 1998;39:428-33
 Ratain M (see Saleh et al). 1998;39:63-73 (Therapy)
 Reangchainam S (see Ungpakorn et al). 1998;39:654-5 (Brief comm.)
 Redondo P, Vázquez-Doval J. Carbamazepine and psoriasis. 1998;39:808-9 (Letter)
 Reintgen DS (see Glass et al). 1998;39:603-10 (Clin. rev.)
 Restano L, Cambiaghi S, Tadini G, Cerri A, Caputo R. Blaschko lines of the face: a step closer to completing the map. 1998;39:1028-30 (Brief comm.)
 Restano L (see Cambiaghi et al). 1998;39:888-90 (Case rep.)
 Retief CR, Tharp MD. *Mycobacterium fortuitum* panniculitis in a steroid-dependent asthmatic patient. 1998;39:650-3 (Brief comm.)
 Reuben J (see Saleh et al). 1998;39:63-73 (Therapy)
 Reuther T (see Gruss et al). 1998;39:443-6 (Therapy)
 Revuz J (see Joly et al). 1998;39:691-7
 Reyes BA (see Lange et al). 1998;39:944-50
 Reynolds K (see Knapik et al). 1998;39:202-6
 Rhodes AR. Intervention strategy to prevent lethal cutaneous melanoma: use of dermatologic photography to aid surveillance of high-risk persons. 1998;39:262-7 (Current issues)
 Rhodes AR (see Richert et al). 1998;39:571-7
 Richards HL (see Fortune et al). 1998;39:196-201
 Richards HM (see Lange et al). 1998;39:944-50
 Richert SM, D'Amico F, Rhodes AR. Cutaneous melanoma: patient surveillance and tumor progression. 1998;39:571-7
 Rietschel R (see Cohen et al). 1998;39:98-106 (From the Academy)
 Rinder HM (see Grossman et al). 1998;39:299-300 (Letter reply)
 Roberts JL (see Kaufman et al). 1998;39:578-89 (Therapy)
 Rocamora V (see Pujol et al). 1998;39:839-42 (Case rep.)
 Rodríguez-Serna M (see Nagore et al). 1998;39:879-81 (Case rep.)
 Roenigk HH Jr (see Schultz and Roenigk). 1998;39:519 (Letter)
 Rogers GS (see Gross and Rogers). 1998;39:547-53
 Rokhsar CK, Shupack JL, Vafai JJ, Washenik K. Efficacy of topical sensitizers in the treatment of alopecia areata. 1998;39:751-61 (Clin. rev.)
 Rook A (see Saleh et al). 1998;39:63-73 (Therapy)
 Rosen T (see Bhat et al). 1998;39:1033-4 (Brief comm.)
 Rosen T (see Lee et al). 1998;39:850-2 (Case rep.)
 Ross EV, Amesbury EC, Barile A, Proctor-Shipman L, Feldman BD. Incidence of postoperative infection or positive culture after facial laser resurfacing: a pilot study, a case report, and a proposal for a rational approach to antibiotic prophylaxis. 1998;39:975-81 (Derm. surg.)
 Roujeau JC (see Joly et al). 1998;39:691-7
 Rozenbaum W (see Lallemand et al). 1998;39:506-8 (Brief comm.)
 Ruiz C (see Aronson et al). 1998;39:933-9
 Ruocco V (see Brenner and Ruocco). 1998;39:137-8 (Letter)
 Rust PF (see Acker et al). 1998;39:239-45 (Dermatopathology)
 Ruzicka T (see Hofmann et al). 1998;39:1042 (Letter reply)
 Ruzicka T (see Schulte et al). 1998;39:629-30 (Pearls)

S

- Sabo E (see Bergman et al). 1998;39:554-9
 Sadiq I (see Kligman et al). 1998;39:593-7
 Sahar D (see Bergman et al). 1998;39:554-9
 Sahin S, Levin L, Kopf AW, Rao BK, Triola M, Koenig K, Huang C, Bart R. Risk of melanoma in medium-sized congenital melanocytic nevi: a follow-up study. 1998;39:428-33
 Sailer DE (see Cunningham et al). 1998;39:211-5 (Therapy)
 Saleh MN, LeMaistre CF, Kuzel TM, Foss F, Platanias LC, Schwartz G, Ratain M, Rook A, Freytes CO, Craig F, Reuben J, Sams MW, Nichols JC. Antitumor activity of DAB₃₈₉IL-2 fusion toxin in mycosis fungoides. 1998;39:63-73 (Therapy)

R

- Rabooee N (see Gupta et al). 1998;39:216-9 (Therapy)

- Salomon D (see Friedli et al). 1998;39:597-602 (Therapy)
- Sambucety S (see Miranda-Romero et al). 1998;39:655-7 (Brief comm.)
- Sams MW (see Saleh et al). 1998;39:63-73 (Therapy)
- Sánchez-Motilla JM (see Nagore et al). 1998;39:879-81 (Case rep.)
- Sander CA (see Bergman et al). 1998;39:554-9
- Sapadin AN, Anhalt GJ. Paraneoplastic pemphigus with a pemphigus vegetans-like plaque as the only cutaneous manifestation. 1998;39:867-71 (Case rep.)
- Sapadin AN, Friedman IS. Extensive Mongolian spots associated with Hunter syndrome. 1998;39:1013-5 (Brief comm.)
- Sapadin AN, Lebowitz MG, Teich SA, Phelps RG, DiCostanzo D, Cohen SR. Periumbilical pseudoxanthoma elasticum associated with chronic renal failure and angiod streaks—apparent regression with hemodialysis. 1998;39:338-4 (Case rep.)
- Sasaoka R (see Miyamoto et al). 1998;39:498-500 (Brief comm.)
- Sass U, André J, Stene J-I, Noel J-Ch. Longitudinal melanonychia revealing an intraepidermal carcinoma of the nail apparatus: detection of integrated HPV-16 DNA. 1998;39:490-3 (Brief comm.)
- Sassa S (see Lim et al). 1998;39:956-9
- Sau P (see Touart and Sau). 1998;39:149-71 (CME article)
- Sau P (see Touart and Sau). 1998;39:527-44 (CME article)
- Sauder DN (see Weichert and Sauder). 1998;39:648-50 (Brief comm.)
- Saurat J-H (see Friedli et al). 1998;39:597-602 (Therapy)
- Savin JA. How should we define itching? 1998;39:268-9 (Current issues)
- Savin R (see Kaufman et al). 1998;39:578-89 (Therapy)
- Savin RC (see Lange et al). 1998;39:944-50
- Schachner L (see Iyengar et al). 1998;39:831-4 (Case rep.)
- Scheman A (see Cohen et al). 1998;39:98-106 (From the Academy)
- Schmeller W, Gaber Y, Gehl H-B. Shave therapy is a simple, effective treatment of persistent venous leg ulcers. 1998;39:232-8 (Therapy)
- Schoedel KE, Bastacky S, Silverman A. An S100 negative granular cell tumor with malignant potential: report of a case. 1998;39:894-8 (Case rep.)
- Schoengen A (see Voit et al). 1998;39:1030-2 (Brief comm.)
- Schöfer H (see Greiner et al). 1998;39:486-7 (Brief comm.)
- Schöpf E (see Weiss et al). 1998;39:117-9 (Brief comm.)
- Schuler G (see Weinlich et al). 1998;39:372-4 (Case rep.)
- Schulte KW, Neumann NJ, Ruzicka T. Surgical Pearl: Nail splinting by flexible tube—a new noninvasive treatment for ingrown toenails. 1998;39:629-30 (Pearls)
- Schultz BC, Roenigk HH Jr. Usefulness of the staged excision for lentigo maligna and lentigo maligna melanoma. 1998;39:519 (Letter)
- Schulz SM (see Gould et al). 1998;39:1035-6 (Brief comm.)
- Schwartz G (see Saleh et al). 1998;39:63-73 (Therapy)
- Schwarz T (see Brehler et al). 1998;39:1017-21 (Brief comm.)
- Schwarzenberger K (see Cohen et al). 1998;39:98-106 (From the Academy)
- Sefton J (see Lebowitz et al). 1998;39:590-6 (Therapy)
- Seidenari S, Pellacani G, Pepe P. Digital videomicroscopy improves diagnostic accuracy for melanoma. 1998;39:175-81
- Seishima M (see Kanoh et al). 1998;39:635-7 (Brief comm.)
- Servitje O (see Gallardo et al). 1998;39:283-5 (Brief comm.)
- Seyger MMB, van den Hoogen FHI, de Boo T, de Jong EMGJ. Low-dose methotrexate in the treatment of widespread morphea. 1998;39:220-5 (Therapy)
- Shah PY, Sharma V, Worobec AS, Metcalfe DD, Zwick DC. Congenital bullous mastocytosis with myeloproliferative disorders and *c-kit* mutation. 1998;39:119-21 (Brief comm.)
- Shama S (see Cohen et al). 1998;39:98-106 (From the Academy)
- Shapiro J (see Kaufman et al). 1998;39:578-89 (Therapy)
- Shapiro SS, Latriano L. Pharmacokinetic and pharmacodynamic considerations of retinoids: tretinoin. 1998;39:S13-6
- Sharma V (see Shah et al). 1998;39:119-21 (Brief comm.)
- Shavin JS (see Weiss and Shavin). 1998;39:S50-4
- Shelley ED (see Shelley et al). 1998;39:1040-1 (Letter reply)
- Shelley WB, Shelley ED, Talanin NY. Botulinum toxin in the treatment of palmar hyperhidrosis. 1998;39:1040-1 (Letter reply)
- Shenefelt PD (see Hynes and Shenefelt). 1998;39:138-9 (Letter reply)
- Sherertz EF (see Lange et al). 1998;39:944-50
- Sherris DA (see Otley and Sherris). 1998;39:982-92 (Derm. surg.)
- Shin DM (see Cather et al). 1998;39:858-63 (Case rep.)
- Shiohara T (see Kano and Shiohara). 1998;39:298 (Letter reply)
- Shiohara T (see Kano et al). 1998;39:305-8 (Case rep.)
- Shirahama S, Furukawa F, Takigawa M. Recurrent pemphigus vulgaris limited to the surgical area after mastectomy. 1998;39:352-5 (Case rep.)
- Shriner DL, McCoy DK, Goldberg DJ, Wagner RF Jr. Mohs micrographic surgery. 1998;39:79-97 (Clin. rev.)
- Shroot B. Pharmacodynamics and pharmacokinetics of topical adapalene. 1998;39:S17-24
- Shupack J (see Lebowitz et al). 1998;39:464-75 (Clin. rev.)
- Shupack JL (see Rokhsar et al). 1998;39:751-61 (Clin. rev.)
- Shwayder T. Terbinafine. 1998;39:136 (Letter)
- Sibbald RG (see Lebowitz et al). 1998;39:590-6 (Therapy)
- Siegfried EC, Frasier LD. Syphilis brephotrophica. 1998;39:1041-2 (Letter)
- Siegfried EC, Sirawan S. Chronic bullous disease of childhood: successful treatment with dicloxacillin. 1998;39:797-800 (Brief comm.)
- Siegfried EC (see Allen and Siegfried). 1998;39:951-5
- Silverman A (see Schoedel et al). 1998;39:894-8 (Case rep.)
- Silvers D (see Squeo et al). 1998;39:379-80 (Case rep.)
- Silvers DN (see Lieberman et al). 1998;39:290-1 (Brief comm.)
- Simon JC (see Weiss et al). 1998;39:117-9 (Brief comm.)
- Sirawan S (see Siegfried and Sirawan). 1998;39:797-800 (Brief comm.)
- Skelton HG (see Smith and Skelton). 1998;39:809 (Letter reply)
- Sleasman JW (see Machado et al). 1998;39:285-7 (Brief comm.)
- Smidt-Nielsen K (see Thomsen et al). 1998;39:187-90
- Smith ES, Fleischer AB Jr, Feldman SR. Nondermatologists are more likely than dermatologists to prescribe antifungal/corticosteroid products: an analysis of office visits for cutaneous fungal infections, 1990–1994. 1998;39:43-7
- Smith KJ, Skelton HG. Carbamazepine and psoriasis. 1998;39:809 (Letter reply)
- Smith R (see Craig et al). 1998;39:721-36
- Smoller BR (see Carrington et al). 1998;39:334-7 (Case rep.)
- Solomon R (see Gupta et al). 1998;39:216-9 (Therapy)
- Sontheimer RD, Werth VP. Whither the patient-oriented researcher? 1998;39:109-13 (Current issues)
- Spegman DJ (see Nousari et al). 1998;39:653-4 (Brief comm.)
- Spira RM (see Mignard et al). 1998;39:298-9 (Letter)
- Squeo RF, Beer R, Silvers D, Weitzman I, Grossman M. Invasive *Trichophyton rubrum* resembling blastomycosis infection in the immunocompromised host. 1998;39:379-80 (Case rep.)
- Starink TM (see Bruynzeel and Starink). 1998;39:365-7 (Case rep.)
- Stefanato CM, Andersen WK, Calonje E, Swain FA, Borghi S, Massone L, Kowalski JV, Bhawan J. Langerhans cell histiocytosis in the elderly: a report of three cases. 1998;39:375-8 (Case rep.)
- Stefanato CM (see Iacocca et al). 1998;39:882-7 (Case rep.)
- Stege H, Krutmann J. High-dose UVA₁ radiation therapy for localized scleroderma. 1998;39:517-8 (Letter reply)
- Stene J-J (see Sass et al). 1998;39:490-3 (Brief comm.)
- Stern RS, Mills DK, Krell K, Zmudzka BZ, Beer JZ. HIV-positive patients differ from HIV-negative patients in indications for and type of UV therapy used. 1998;39:48-55
- Stevens KR, Leis PF, Peters S, Baer S, Orenge I. Congenital leukonychia. 1998;39:509-12 (Brief comm.)
- Stevens SR (see Gould et al). 1998;39:1035-6 (Brief comm.)

Stewart L (see Cohen et al). 1998;39:98-106 (From the Academy)
 Stoudemayer T (see Kligman et al). 1998;39:S93-7
 Stratte EG, Tope WD. Neurotoxicity of interferon alfa in children treated for hemangiomas. 1998;39:1038 (Letter reply)
 Strobos MA (see Wolkerstorfer et al). 1998;39:226-31 (Therapy)
 Su RCW, Chong LY, Lo KK. High-dose UVA₁ radiation therapy for localized scleroderma. 1998;39:517 (Letter)
 Sullivan TP, King LE Jr, Boyd AS. Colchicine in dermatology. 1998;39:993-9 (Clin. rev.)
 Summerbell RC (see Gupta et al). 1998;39:216-9 (Therapy)
 Summerbell RC (see Gupta et al). 1998;39:410-7
 Summerbell RC (see Hull et al). 1998;39:1015-7 (Brief comm.)
 Sung K-J (see Jang et al). 1998;39:637-8 (Brief comm.)
 Surber C (see Itin et al). 1998;39:401-9
 Swain FA (see Stefanato et al). 1998;39:375-8 (Case rep.)
 Swinyer LJ (see Lebwohl et al). 1998;39:590-6 (Therapy)
 Syriopoulou V (see Kakourou et al). 1998;39:207-10

T

Taberner R (see Pujol et al). 1998;39:839-42 (Case rep.)
 Tadini G (see Restano et al). 1998;39:1028-30 (Brief comm.)
 Takigawa M (see Shirahama et al). 1998;39:352-5 (Case rep.)
 Talanin NY. Detection of streptococcal antigens in psoriasis. 1998;39:270-1 (From the Academy)
 Talanin NY (see Shelley et al). 1998;39:1040-1 (Letter reply)
 Talpur R (see Peterson et al). 1998;39:434-8
 Tanasescu S (see Joly et al). 1998;39:691-7
 Tani M (see Murata et al). 1998;39:314-7 (Case rep.)
 Taşkan O, Doğan B, Çekmen S, Balçoğlu H, Harmanyeri Y. Nevoid hypertrichosis associated with duplication of the right thumb. 1998;39:114-5 (Brief comm.)
 Taşkan O, Harmanyeri Y. Acquired unilateral nevoid telangiectasia syndrome. 1998;39:138 (Letter)
 Taylor AF (see Gloster and Taylor). 1998;39:107-8 (Pearls)
 Taylor J (see Cohen et al). 1998;39:98-106 (From the Academy)
 Teich SA (see Sapadin et al). 1998;39:338-4 (Case rep.)
 Templeton SF (see Chen et al). 1998;39:356-8 (Case rep.)
 Tharp MD (see Retief and Tharp). 1998;39:650-3 (Brief comm.)
 Theodoridou M (see Kakourou et al). 1998;39:207-10
 Thomas G (see Craig et al). 1998;39:721-36
 Thomas JE (see Mehregan et al). 1998;39:495-6 (Brief comm.)
 Thomine E (see Joly et al). 1998;39:691-7
 Thomsen AB, Eriksen J, Smidt-Nielsen K. Chronic neuropathic symptoms after exposure to mustard gas: a long-term investigation. 1998;39:187-90
 Tobey RE (see Jorizzo et al). 1998;39:502-4 (Brief comm.)
 Tope WD (see Stratte and Tope). 1998;39:1038 (Letter reply)
 Touart DM, Sau P. Cutaneous deposition diseases. Part I. 1998;39:149-71 (CME article)
 Touart DM, Sau P. Cutaneous deposition diseases. Part II. 1998;39:527-44 (CME article)
 Triola M (see Sahin et al). 1998;39:428-33
 Tron F (see Joly et al). 1998;39:691-7
 Trotter K (see Cohen et al). 1998;39:98-106 (From the Academy)
 Turlier V (see Creidi et al). 1998;39:960-5 (Therapy)
 Tyler RJ (see Mehta et al). 1998;39:1024-8 (Brief comm.)

U

Ueda T (see Murata et al). 1998;39:314-7 (Case rep.)
 Ungpakorn R, Kullavanijaya P. Terbinafine. 1998;39:136 (Letter reply)
 Ungpakorn R, Reangchainan S, Kullavanijaya P. Onychomycosis in a 2-year-old child successfully treated with oral terbinafine. 1998;39:654-5 (Brief comm.)
 Urioste SS (see Duke et al). 1998;39:488-90 (Brief comm.)

V

Vadillo M (see Gallardo et al). 1998;39:283-5 (Brief comm.)
 Vafai JJ (see Rokhsar et al). 1998;39:751-61 (Clin. rev.)
 Valencia IC, Colsky A, Berman B. Multicentric reticulohistiocytosis associated with recurrent breast carcinoma. 1998;39:864-6 (Case rep.)
 van den Hoogen FHJ (see Seyger et al). 1998;39:220-5 (Therapy)
 Van Neste D (see Kaufman et al). 1998;39:578-89 (Therapy)
 Vázquez-Doval J (see Redondo and Vázquez-Doval). 1998;39:808-9 (Letter)
 Vienne M-P (see Creidi et al). 1998;39:960-5 (Therapy)
 Vilata JJ (see Nagore et al). 1998;39:879-81 (Case rep.)
 Voit C, Schoengen A, Proebstle T, Weber L, Peter RU. Identification of melanoma metastases by tyrosinase–reverse transcription–polymerase chain reaction of fine needle aspirates. 1998;39:1030-2 (Brief comm.)
 Vomvouras S (see Aronson et al). 1998;39:933-9
 von Greysz S (see Yawalkar et al). 1998;39:790-3 (Brief comm.)
 Voorhees JJ (see Kang and Voorhees). 1998;39:S55-61

W

Wagner RF Jr (see Shriner et al). 1998;39:79-97 (Clin. rev.)
 Wallengren J. Brachioradial pruritus: a recurrent solar dermatopathy. 1998;39:803-6 (Brief comm.)
 Warren KJ, Nopper AJ, Crosby DL. Thalidomide for recalcitrant discoid lesions in a patient with systemic lupus erythematosus. 1998;39:293-5 (Brief comm.)
 Warshaw E (see Cohen et al). 1998;39:98-106 (From the Academy)
 Warshaw EM. Latex allergy. 1998;39:1-24 (CME article)
 Washenik K (see Rokhsar et al). 1998;39:751-61 (Clin. rev.)
 Watsky K (see Bolognia et al). 1998;39:330-3 (Case rep.)
 Watsky K (see Cohen et al). 1998;39:98-106 (From the Academy)
 Weber L (see Voit et al). 1998;39:1030-2 (Brief comm.)
 Webster GF. Topical tretinoin in acne therapy. 1998;39:S38-44
 Wechsler J (see Joly et al). 1998;39:691-7
 Wedig R (see Cotton et al). 1998;39:876-8 (Case rep.)
 Wee SA (see Flynn et al). 1998;39:819-23 (Case rep.)
 Wei H. Photoprotective action of isoflavone genistein: models, mechanisms, and relevance to clinical dermatology. 1998;39:271-2 (From the Academy)
 Weichert G, Sauder DN. Efficacy of tacrolimus (FK 506) in idiopathic treatment-resistant pyoderma gangrenosum. 1998;39:648-50 (Brief comm.)
 Weinberg JM. Cutaneous necrosis associated with recombinant interferon injection. 1998;39:807 (Letter)
 Weinberg JM, Hecker MS. Cutaneous *Paecilomyces lilacinus* infection. 1998;39:516-7 (Letter reply)
 Weinlich G, Schuler G, Greil R, Kofler H, Fritsch P. Leg ulcers associated with long-term hydroxyurea therapy. 1998;39:372-4 (Case rep.)
 Weinstein G (see Lebwohl et al). 1998;39:464-75 (Clin. rev.)
 Weinstein GD (see Lebwohl et al). 1998;39:590-6 (Therapy)
 Weiss JM, Muchenberger S, Schöpf E, Simon JC. Treatment of granuloma annulare by local injections with low-dose recombinant human interferon gamma. 1998;39:117-9 (Brief comm.)
 Weiss JS, Shavin JS. Adapalene for the treatment of acne vulgaris. 1998;39:S50-4
 Weitzman I, Chin N-X, Kunjuku N, Della-Latta P. A survey of dermatophytes isolated from human patients in the United States from 1993 to 1995. 1998;39:255-61 (Special rep.)
 Weitzman I (see Squeo et al). 1998;39:379-80 (Case rep.)
 Wendelboe P (see Jemec and Wendelboe). 1998;39:971-4 (Therapy)
 Werth VP (see Jih and Werth). 1998;39:349-51 (Case rep.)
 Werth VP (see Sontheimer and Werth). 1998;39:109-13 (Current issues)
 Weston WL, Brice SL. Atypical forms of herpes simplex-associated erythema multiforme. 1998;39:124-5 (Brief comm.)

- White GM. Recent findings in the epidemiologic evidence, classification, and subtypes of acne vulgaris. 1998;39:S34-7
- White JW Jr, Winkelmann RK. Weber-Christian panniculitis: a review of 30 cases with this diagnosis. 1998;39:56-62
- Whiting D (see Kaufman et al). 1998;39:578-89 (Therapy)
- Widmer AF (see Itin et al). 1998;39:401-9
- Wiegand U-W, Chou RC. Pharmacokinetics of acitretin and etretinate. 1998;39:S25-33
- Wiegand U-W, Chou RC. Pharmacokinetics of oral isotretinoin. 1998;39:S8-12
- Wilkinson SM, Burd R. Latex: a cause of allergic contact eczema in users of natural rubber gloves. 1998;39:36-42
- Williams FM, Cohen PR, Arnett FC. Accelerated cutaneous nodulosis during methotrexate therapy in a patient with rheumatoid arthritis. 1998;39:359-62 (Case rep.)
- Wilmer Z, Kaatz M, Mentzel T, Wollina U. Lymphangioendothelioma after a tick bite. 1998;39:126-8 (Brief comm.)
- Wilson BA (see Cohen et al). 1998;39:98-106 (From the Academy)
- Winkelmann RK (see White and Winkelmann). 1998;39:56-62
- Wolff H (see Kunte et al). 1998;39:891-3 (Case rep.)
- Wolkenstein P (see Joly et al). 1998;39:691-7
- Wolkerstorfer A, Strobos MA, Glazenburg EJ, Mulder PGH, Oranje AP. Fluticasone propionate 0.05% cream once daily versus clobetasone butyrate 0.05% cream twice daily in children with atopic dermatitis. 1998;39:226-31 (Therapy)
- Wollina U (see Wilmer et al). 1998;39:126-8 (Brief comm.)
- Worobec AS (see Shah et al). 1998;39:119-21 (Brief comm.)
- Wotowic PJ (see Gardner et al). 1998;39:504-5 (Brief comm.)
- Y
- Yamada N (see Miyamoto et al). 1998;39:498-500 (Brief comm.)
- Yawalkar N, Hari Y, Helbling A, von Greyerz S, Kappeler A, Braathen LR, Pichler WJ. Elevated serum levels of interleukins 5, 6, and 10 in a patient with drug-induced exanthem caused by systemic corticosteroids. 1998;39:790-3 (Brief comm.)
- Yen A (see Brown and Yen). 1998;39:493-5 (Brief comm.)
- Yerushalmi J (see Hallel-Halevy et al). 1998;39:500-1 (Brief comm.)
- Yoles A (see Lebwohl et al). 1998;39:447-50 (Therapy)
- Youn J-I (see Park et al). 1998;39:287-9 (Brief comm.)
- Youn M, Hann s-K, Moon T-K, Lee M-G. Acantholytic dyskeratotic epidermal nevus induced by ultraviolet B radiation. 1998;39:301-4 (Case rep.)
- Z
- Zabawski EJ Jr, Cockerell CJ. Topical and intralesional cidofovir: a review of pharmacology and therapeutic effects. 1998;39:741-5 (Therapy)
- Zahner S (see Landeck et al). 1998;39:795-6 (Brief comm.)
- Zic JA (see Chang et al). 1998;39:318-21 (Case rep.)
- Zitelli JA (see Cook and Zitelli). 1998;39:698-703
- Ziu MM (see Giasuddin et al). 1998;39:940-3
- Zmudzka BZ (see Stern et al). 1998;39:48-55
- Zolla-Pazner S (see Lim et al). 1998;39:956-9
- Zug K (see Cohen et al). 1998;39:98-106 (From the Academy)
- Zwick DC (see Shah et al). 1998;39:119-21 (Brief comm.)

Subject index*

A

Abscess

Superficial cutaneous abscess and multiple brain abscesses from *Nocardia asteroides* in an immunocompetent patient (Ng and Hellinger). 1998;39:793-4 (Brief comm.)

Abstracts

Abstracts. 1998;39:251-4, 481-3, 631-4

Acantholysis

Acantholytic dyskeratotic epidermal nevus induced by ultraviolet B radiation (Youn et al). 1998;39:301-4 (Case rep.)

Achromic nevus; see Nevus

Acitretin

Pharmacokinetics of acitretin and etretinate (Wiegand and Chou). 1998;39:S25-33

Acne

Acne keloidalis is lichen simplex chronicus with fibrotic keloidal scarring (Burkhart and Burkhart). 1998;39:661 (Letter)

The role of isotretinoin in the treatment of acne: personal observations (Leyden). 1998;39:S45-9

The role of retinoids in the management of cutaneous conditions in blacks (Halder). 1998;39:S98-103

Topical tretinoin in acne therapy (Webster). 1998;39:S38-44

Acne vulgaris

Adapalene for the treatment of acne vulgaris (Weiss and Shavin). 1998;39:S50-4

Recent findings in the epidemiologic evidence, classification, and subtypes of acne vulgaris (White). 1998;39:S34-7

Acquired immunodeficiency syndrome

Correlation of skin disorders with CD4 lymphocyte counts in patients with HIV/AIDS (Mignard et al). 1998;39:298-9 (Letter)

Actinic rays; see Ultraviolet rays

Adapalene

Adapalene for the treatment of acne vulgaris (Weiss and Shavin). 1998;39:S50-4

Pharmacodynamics and pharmacokinetics of topical adapalene (Shroot). 1998;39:S17-24

Adenocarcinoma

Cutaneous metastasis presenting as facial lymphedema (Jang et al). 1998;39:637-8 (Brief comm.)

Adipose tissue

Nevus with fat: clinical characteristics of 100 nevi containing mature adipose cells (Eng and Cohen). 1998;39:704-11

Administration, topical

The critical role of the vehicle to therapeutic efficacy and patient compliance (Piacquadro and Kligman). 1998;39:S67-73

The growing importance of topical retinoids in clinical dermatology: a retrospective and prospective analysis (Kligman). 1998;39:S2-7

Photoaging therapy with topical tretinoin: an evidence-based analysis (Kang and Voorhees). 1998;39:S55-61

Topical tretinoin in acne therapy (Webster). 1998;39:S38-44

Topical tretinoin therapy for management of early striae (Kang). 1998;39:S90-2

Adrenal cortex hormones

Elevated serum levels of interleukins 5, 6, and 10 in a patient with drug-induced exanthem caused by systemic corticosteroids (Yawalkar et al). 1998;39:790-3 (Brief comm.)

Nondermatologists are more likely than dermatologists to prescribe antifungal/corticosteroid products: an analysis of office visits for cutaneous fungal infections, 1990-1994 (Smith et al). 1998;39:43-7

Tazarotene 0.1% gel plus corticosteroid cream in the treatment of plaque psoriasis (Lebwohl et al). 1998;39:590-6 (Therapy)

Tazarotene in combination with topical corticosteroids (Lebwohl and Poulin). 1998;39:S139-43

Adrenergic beta receptor blockers

Reversible transverse overcurvature of the nails (pincer nails) after treatment with a β -blocker (Greiner et al). 1998;39:486-7 (Brief comm.)

Advancement flaps; see Surgical flaps

Africa

Lichenoid erythrodermic bullous pemphigoid of the African patient (Joly et al). 1998;39:691-7

African-Americans

Basal cell carcinoma in a black woman with syringomas (Bhat et al). 1998;39:1033-4 (Brief comm.)

The role of retinoids in the management of cutaneous conditions in blacks (Halder). 1998;39:S98-103

Aged

Langerhans cell histiocytosis in the elderly: a report of three cases (Stefanato et al). 1998;39:375-8 (Case rep.)

Agranulocytosis

Reversible agranulocytosis associated with oral terbinafine for onychomycosis (Ornstein and Ely). 1998;39:xx25 (Brief comm.)

AIDS; see Acquired immunodeficiency syndrome

Ala; see Nose

Alizarin red plant

Useful plants of dermatology. IV. Alizarin red and madder (Norton). 1998;39:484-5 (Special article)

Alkaptonuria

Cutaneous deposition diseases. Part II (Touart and Sau). 1998;39:527-44 (CME article)

Allergy; see Hypersensitivity

Alopecia

Efficacy of topical sensitizers in the treatment of alopecia areata (Rokhsar et al). 1998;39:751-61 (Clin. rev.)

Finasteride in the treatment of men with androgenetic alopecia (Kaufman et al). 1998;39:578-89 (Therapy)

Pulse methylprednisolone therapy for severe alopecia areata: an open prospective study of 45 patients (Friedli et al). 1998;39:597-602 (Therapy)

Scarring alopecia and sclerodermatous changes of the scalp in a patient with hepatitis C infection (Jackson and Callen). 1998;39:824-6 (Case rep.)

Alprostadil

Penile shaft hypopigmentation: lichen sclerosus occurring after the initiation of alprostadil intracavernous injections for erectile dysfunction (English et al). 1998;39:801-3 (Brief comm.)

American Academy of Dermatology

American Academy of Dermatology 1998 awards for Young Investigators in Dermatology. 1998;39:270-5 (From the Academy)

*July, pp. 1-148; August, part 1, pp. 149-300; August, part 2, pp. 301-380; August, part 3, pp. S1-S122; September, pp. 383-526; October, part 1, pp. 527-666; October, part 2, pp. S123-S152; November, part 1, pp. 667-818; November, part 2, pp. 819-898; December, pp. 899-1074.

American Academy of Dermatology—cont'd

Position paper of the American Academy of Dermatology Latex Allergy Work Group (Cohen et al). 1998;39:98-106 (From the Academy)

Recommendations for credentialing and privileging (Drake et al). 1998;39:765-86 (From the Academy)

American Indians; see Indians, American

Amniocentesis

Skin dimpling as a consequence of amniocentesis (Cambiaghi et al). 1998;39:888-90 (Case rep.)

Amyloidosis

Cutaneous deposition diseases. Part I (Touart and Sau). 1998;39:149-71 (CME article)

Androgens

Finasteride in the treatment of men with androgenetic alopecia (Kaufman et al). 1998;39:578-89 (Therapy)

Anemia, aplastic

Subcorneal pustular dermatosis in a patient with aplastic anemia (Park et al). 1998;39:287-9 (Brief comm.)

Anesthesia, local

Repetitive pinching of the skin during lidocaine infiltration reduces patient discomfort (Fosko et al). 1998;39:74-8 (Derm. surg.)

Anetoderma

Hamartomatous congenital melanocytic nevi showing secondary anetoderma-like changes (Cockayne and Gawkrödger). 1998;39:843-5 (Case rep.)

Angioid streaks

Periumbilical pseudoxanthoma elasticum associated with chronic renal failure and angioid streaks—apparent regression with hemodialysis (Sapadin et al). 1998;39:338-4 (Case rep.)

Antibiotics

Incidence of postoperative infection or positive culture after facial laser resurfacing: a pilot study, a case report, and a proposal for a rational approach to antibiotic prophylaxis (Ross et al). 1998;39:xx11 (Derm. surg.)

Antibodies

Activated protein C resistance and anticardiolipin antibodies in patients with venous leg ulcers (Fisher) (Letter); (Grossman et al) (Reply). 1998;39:299-300

Antinuclear antibody seropositivity in patients with cutaneous T-cell lymphoma (Peterson et al). 1998;39:434-8

Immunostaining of various micro-organisms by a polyclonal anti-*Mycobacterium bovis* antibody (Arrese and Piérard). 1998;39:809-10 (Letter)

Antifungal agents; see also specific agents

Nondermatologists are more likely than dermatologists to prescribe antifungal/corticosteroid products: an analysis of office visits for cutaneous fungal infections, 1990-1994 (Smith et al). 1998;39:43-7

Antigens

Detection of streptococcal antigens in psoriasis (Talanin). 1998;39:270-1 (From the Academy)

Antineoplastic agents

Antitumor activity of DAB₃₈₉IL-2 fusion toxin in mycosis fungoides (Saleh et al). 1998;39:63-73 (Therapy)

Antiperspirants; see Astringents

Antiviral agents

Topical and intralesional cidofovir: a review of pharmacology and therapeutic effects (Zabawski and Cockerell). 1998;39:741-5 (Therapy)

Aplasia cutis

Prenatal findings in membranous aplasia cutis (Cambiaghi et al). 1998;39:638-40 (Brief comm.)

Aplastic anemia; see Anemia, aplastic

Arm

Brachioradial pruritus: a recurrent solar dermatopathy (Wallengren). 1998;39:803-6 (Brief comm.)

Arthritis, rheumatoid

Accelerated cutaneous nodulosis during methotrexate therapy in a patient with rheumatoid arthritis (Williams et al). 1998;39:359-62 (Case rep.)

Arthropods

Exaggerated arthropod-bite lesions in patients with chronic lymphocytic leukemia: a clinical, histopathologic, and immunopathologic study of eight patients (Davis et al). 1998;39:27-35

Ascorbic acid

Uses of vitamins A, C, and E and related compounds in dermatology: a review (Keller and Fenske). 1998;39:611-25 (Clin. rev.)

Asians

Assessment of topical retinoids for the treatment of Far-East Asian skin (Griffiths). 1998;39:S104-7

Asthma

Mycobacterium fortuitum panniculitis in a steroid-dependent asthmatic patient (Retief and Tharp). 1998;39:650-3 (Brief comm.)

Astringents

Influence of an antiperspirant on foot blister incidence during cross-country hiking (Knapik et al). 1998;39:202-6

Atopic dermatitis; see Dermatitis, atopic

Atrophy

Lipoatrophy semicircularis—a traumatic panniculitis: report of seven cases and review of the literature (Nagore et al). 1998;39:879-81 (Case rep.)

Autoantibodies

D-Penicillamine-induced pemphigus foliaceus with autoantibodies to desmoglein-1 (Brenner and Ruocco) (Letter); (Peñas and Carvajal) (Reply). 1998;39:137-8

Awards and prizes

American Academy of Dermatology 1998 awards for Young Investigators in Dermatology. 1998;39:270-5 (From the Academy)

Axilla

Intertriginous granular parakeratosis (Mehregan et al). 1998;39:495-6 (Brief comm.)

Azathioprine

Psoriasis and bullous pemphigoid treated with azathioprine (Primka and Camisa). 1998;39:121-3 (Brief comm.)

B

Bacillus

Bacillus species infection of the skin as a presentation of severe combined immunodeficiency disease (Machado et al). 1998;39:285-7 (Brief comm.)

Baer, Rudolf L.

A tribute to Rudolf L. Baer (1910-1997) (Freedberg and Kopf). 1998;39:513-5 (In memoriam)

Bandages

Removal of dermal edema with class I and II compression stockings in patients with lipodermatosclerosis (Gniadecka et al). 1998;39:966-70 (Therapy)

Basal cell carcinoma; see Carcinoma, basal cell

Bath-PUVA therapy; see PUVA therapy

Beta-blockers; see Adrenergic beta receptor blockers

Bicarbonates

Antimicrobial effects of lidocaine, bicarbonate, and epinephrine (Epstein). 1998;39:518-9 (Letter)

Biopsy

Lymphatic mapping and sentinel node biopsy in the management of high-risk melanoma (Glass et al). 1998;39:603-10 (Clin. rev.)

Biopsy, needle

Identification of melanoma metastases by tyrosinase-reverse transcription-polymerase chain reaction of fine needle aspirates (Voit et al). 1998;39:1030-2 (Brief comm.)

Bites and stings

- Exaggerated arthropod-bite lesions in patients with chronic lymphocytic leukemia: a clinical, histopathologic, and immunopathologic study of eight patients (Davis et al). 1998;39:27-35
- Lymphoendothelioma after a tick bite (Wilmer et al). 1998;39:126-8 (Brief comm.)

Black Americans; see African-Americans**Blaschko lines**

- Blaschko lines of the face: a step closer to completing the map (Restano et al). 1998;39:1028-30 (Brief comm.)

Blastomycosis

- Invasive *Trichophyton rubrum* resembling blastomycosis infection in the immunocompromised host (Squeo et al). 1998;39:379-80 (Case rep.)

Bleomycins

- Lymphangitis as a complication of intralesional bleomycin therapy (Allen and Fosko). 1998;39:295-7 (Brief comm.)

Blister

- Bullous lichen sclerosus et atrophicus (Hallel-Halevy et al). 1998;39:500-1 (Brief comm.)
- Chronic bullous disease of childhood: successful treatment with dicloxacillin (Siegfried and Sirawan). 1998;39:797-800 (Brief comm.)
- Influence of an antiperspirant on foot blister incidence during cross-country hiking (Knapik et al). 1998;39:202-6
- The mechanism of "suction" (Lewis and Kageyama). 1998;39:664 (Letter)

The Blue Journal

- The Blue Journal. 1998;39:246-7, 476-7, 762-4

Blue nevus; see Nevus, pigmented**Book reviews**

- Book reviews. 1998;39:665-6

Botulinum toxins

- Botulinum toxin in the treatment of palmar hyperhidrosis (Holmes and Mann) (Letter); (Shelley et al) (Reply). 1998;39:1040-1

Brain abscess

- Superficial cutaneous abscess and multiple brain abscesses from *Nocardia asteroides* in an immunocompetent patient (Ng and Hellinger). 1998;39:793-4 (Brief comm.)

Breast neoplasms

- Multicentric reticulohistiocytosis associated with recurrent breast carcinoma (Valencia et al). 1998;39:864-6 (Case rep.)
- Recurrent pemphigus vulgaris limited to the surgical area after mastectomy (Shirahama et al). 1998;39:352-5 (Case rep.)
- Systemic treatment of neoplastic conditions with retinoids (Hsu). 1998;39:S108-13

Brief communications

- Brief communications. 1998;39:114-28, 276-97, 486-512, 635-57, 789-806, 1011-36

Bullous mastocytosis; see Urticaria pigmentosa**Bullous pemphigoid; see Pemphigoid, bullous****Buttocks**

- An unusual presentation of syringomas on the buttocks (Paquette and Massa). 1998;39:1032-3 (Brief comm.)

C

Cadherins

- Regulation of E-cadherin function in skin-derived dendritic cells by proinflammatory epidermal cytokines: implications for the mobilization of Langerhans cells in vivo (Jakob). 1998;39:274-5 (From the Academy)

Calcinosis

- Cutaneous deposition diseases. Part II (Touart and Sau). 1998;39:527-44 (CME article)

Calcipotriene

- Calcipotriene ointment and halobetasol ointment in the long-term

- treatment of psoriasis: effects on the duration of improvement (Lebwohl et al). 1998;39:447-50 (Therapy)

- Topical calcipotriene for morphea/linear scleroderma (Cunningham et al). 1998;39:211-5 (Therapy)

Calcium

- Sweating, calcium, and osteoporosis (Cohn). 1998;39:1038-9 (Letter)

Capsaicin

- Useful plants of dermatology. V. *Capsicum* and capsaicin (Norton). 1998;39:626-8 (Special article)

Capsicum plant

- Useful plants of dermatology. V. *Capsicum* and capsaicin (Norton). 1998;39:626-8 (Special article)

Carbamazepine

- Carbamazepine and psoriasis (Redondo and Vázquez-Doval) (Letter); (Smith and Skelton) (Reply). 1998;39:808-9

Carbon dioxide

- Carbon dioxide laser ablation associated with interferon alfa-2b injections reduces the recurrence of keloids (Conejo-Mir et al) (Letter); (Berman and Flores) (Reply). 1998;39:1039-40
- A side-by-side comparison of carbon dioxide resurfacing lasers for the treatment of rhytides (Gross and Rogers). 1998;39:547-53

Carcinoma

- Multicentric reticulohistiocytosis associated with recurrent breast carcinoma (Valencia et al). 1998;39:864-6 (Case rep.)

Carcinoma, basal cell

- Basal cell carcinoma in a black woman with syringomas (Bhat et al). 1998;39:1033-4 (Brief comm.)
- Multiple follicular hamartomas with sweat gland and sebaceous differentiation, vermiculate atrophoderma, milia, hypotrichosis, and late development of multiple basal cell carcinomas (Pujol et al). 1998;39:853-7 (Case rep.)
- Occupationally related tumors in tar refinery workers (Letzel and Drexler). 1998;39:712-20
- Recurrent basal cell carcinoma treated with cryosurgery (Garcia and Poletti) (Letter); (Kuflik and Gage) (Reply). 1998;39:134

Carcinoma, Merkel cell

- Mixed Merkel cell carcinoma and squamous cell carcinoma of the skin (Iacocca et al). 1998;39:882-7 (Case rep.)

Carcinoma, squamous cell

- Longitudinal melanonychia revealing an intraepidermal carcinoma of the nail apparatus: detection of integrated HPV-16 DNA (Sass et al). 1998;39:490-3 (Brief comm.)
- Mixed Merkel cell carcinoma and squamous cell carcinoma of the skin (Iacocca et al). 1998;39:882-7 (Case rep.)
- Occupationally related tumors in tar refinery workers (Letzel and Drexler). 1998;39:712-20
- Squamous cell carcinoma: Could it be the most common skin cancer? (Cohn) (Letter); (Goldberg) (Reply). 1998;39:134-6

Cardiomyopathy, congestive

- Epidermolytic palmoplantar keratoderma with woolly hair and dilated cardiomyopathy (Carvajal-Huerta). 1998;39:418-21

Cartilage

- Spectrum of cartilage grafting in cutaneous reconstructive surgery (Otley and Sherris). 1998;39:982-92 (Derm. surg.)

Case reports

- Case reports. 1998;39:301-80, 819-98

Cellulitis

- Plaque-like erythema with milia: a noninfectious dermal mucinosis mimicking cryptococcal cellulitis in a renal transplant recipient (Carrington et al). 1998;39:334-7 (Case rep.)

Child; see also Infant

- Chronic bullous disease of childhood: successful treatment with dicloxacillin (Siegfried and Sirawan). 1998;39:797-800 (Brief comm.)

Child; see also Infant—cont'd

- Fluticasone propionate 0.05% cream once daily versus clobetasone butyrate 0.05% cream twice daily in children with atopic dermatitis (Wolkerstorfer et al). 1998;39:226-31 (Therapy)
- Herpes zoster in children (Kakourou et al). 1998;39:207-10
- The natural history of condyloma in children (Allen and Siegfried). 1998;39:951-5
- Neurotoxicity of interferon alfa in children treated for hemangiomas (Enjolras) (Letter); (Stratton and Tope) (Reply); (Blei) (Reply). 1998;39:1037-8
- Onychomycosis in a 2-year-old child successfully treated with oral terbinafine (Ungpakorn et al). 1998;39:654-5 (Brief comm.)
- Purpura in infants and children (Burrows). 1998;39:661-2 (Letter)
- Syphilis brelphrophica (Siegfried and Frasier) (Letter); (Hofmann et al) (Letter reply). 1998;39:1041-2

Child abuse, sexual; see Sexual abuse, child

Chromoblastomycosis

- Spores and mycelia in cutaneous chromomycosis (Lee et al). 1998;39:850-2 (Case rep.)

Chronic bullous disease of childhood; see Vesiculobullous diseases

Chronic lymphocytic leukemia; see Leukemia, lymphocytic, chronic

Chronic renal failure; see Kidney failure, chronic

Cicatrix

- Acne keloidalis is lichen simplex chronicus with fibrotic keloidal scarring (Burkhart and Burkhart). 1998;39:661 (Letter)
- Scarring alopecia and sclerodermatous changes of the scalp in a patient with hepatitis C infection (Jackson and Callen). 1998;39:824-6 (Case rep.)

Cidofovir

- Topical and intralesional cidofovir: a review of pharmacology and therapeutic effects (Zabawski and Cockerell). 1998;39:741-5 (Therapy)

Clindamycin

- Topical clindamycin versus systemic tetracycline in the treatment of hidradenitis suppurativa (Jemec and Wendelboe). 1998;39:971-4 (Therapy)

Clinical reviews

- Clinical reviews. 1998;39:79-97, 451-75, 603-25, 751-61, 993-9

Clobetasone

- Fluticasone propionate 0.05% cream once daily versus clobetasone butyrate 0.05% cream twice daily in children with atopic dermatitis (Wolkerstorfer et al). 1998;39:226-31 (Therapy)

Clubbing of nails

- An improved method of studying fingernail morphometry: application to the early detection of fingernail clubbing (Goyal et al). 1998;39:640-2 (Brief comm.)

Cockayne syndrome

- Cockayne syndrome without typical clinical manifestations including neurologic abnormalities (Miyachi-Hashimoto et al). 1998;39:565-70

Colchicine

- Colchicine in dermatology (Sullivan et al). 1998;39:993-9 (Clin. rev.)

Collagen

- The anabolic steroid stanozolol upregulates collagen synthesis through the action of transforming growth factor- β 1 (Falabella). 1998;39:272-3 (From the Academy)
- Symmetrical, papular, eruptive auricular collagenomas (Betti et al). 1998;39:363-4 (Case rep.)

Colloid milium

- Cutaneous deposition diseases. Part I (Touart and Sau). 1998;39:149-71 (CME article)

Composite skin grafts; see Skin transplantation

Compression stockings; see Bandages

Condyloma acuminatum

- The natural history of condyloma in children (Allen and Siegfried). 1998;39:951-5

Contact dermatitis; see Dermatitis, contact

Continuing medical education

- Continuing medical education. 1998;39:1-24, 149-71, 383-98, 527-44, 667-87, 899-920
- Continuing medical education examinations. 1998;39:25-6, 172-3, 399-400, 545-6, 688-9, 921-2
- Continuing medical education examinations: answers. 1998;39:26, 174, 398, 546, 690, 920

Correction

- Cutaneous deposition diseases. Part I. (Touart and Sau) (1998;39:149-71). 1998;39:1042
- o Fatty acid-based lipid infusion in patients with chronic plaque psoriasis: results of a double-blind, randomized, placebo-controlled, multicenter trial (Mayser et al) (1998;38:539-47). 1998;39:421

Correspondence

- Correspondence. 1998;39:134-9, 298-300, 516-9, 661-4, 807-10, 1037-42

Corticosteroids; see Adrenal cortex hormones

Cosmetics

- A reaction to a red lip cosmetic tattoo (Duke et al). 1998;39:488-90 (Brief comm.)

Costs and cost analysis

- Mohs micrographic surgery: a cost analysis (Cook and Zitelli). 1998;39:698-703

Credentialing

- Recommendations for credentialing and privileging (Drake et al). 1998;39:765-86 (From the Academy)

Cross-country hiking; see Hiking

Cryosurgery

- Recurrent basal cell carcinoma treated with cryosurgery (Garcia and Poletti) (Letter); (Kuflik and Gage) (Reply). 1998;39:134

Cryptococcus

- Plaque-like erythema with milia: a noninfectious dermal mucinosis mimicking cryptococcal cellulitis in a renal transplant recipient (Carrington et al). 1998;39:334-7 (Case rep.)

Culture

- Antimicrobial effects of lidocaine, bicarbonate, and epinephrine (Epstein). 1998;39:518-9 (Letter)

Current issues

- Current issues. 1998;39:109-13, 262-9, 658-60

Cutaneous small-vessel vasculitis; see Vasculitis

Cutaneous T-cell lymphoma; see Lymphoma, T-cell, cutaneous

Cyclosporine

- Cyclosporine consensus conference: with emphasis on the treatment of psoriasis (Lebwohl et al). 1998;39:464-75 (Clin. rev.)

Cytokines

- Regulation of E-cadherin function in skin-derived dendritic cells by proinflammatory epidermal cytokines: implications for the mobilization of Langerhans cells in vivo (Jakob). 1998;39:274-5 (From the Academy)
- Sweet's syndrome: Is the pathogenesis mediated by helper T cell type 1 cytokines? (Giasuddin et al). 1998;39:940-3

Cytomegaloviruses

- Topical and intralesional cidofovir: a review of pharmacology and therapeutic effects (Zabawski and Cockerell). 1998;39:741-5 (Therapy)

Cytophages

- Cytophagic histiocytic panniculitis—a syndrome associated with benign and malignant panniculitis: case comparison and review of the literature (Craig et al). 1998;39:721-36

D

DAB389IL-2; see Interleukin-2

Dapsone

- Folliculitis spinulosa decalvans: successful therapy with dapsone (Kunte et al). 1998;39:891-3 (Case rep.)

Dapsone—cont'd

Sparing of tubercloid leprosy patch in a patient with dapsone hypersensitivity syndrome (Ng and Goh). 1998;39:646-8 (Brief comm.)

Death

Intervention strategy to prevent lethal cutaneous melanoma: use of dermatologic photography to aid surveillance of high-risk persons (Rhodes). 1998;39:262-7 (Current issues)

Dendritic cells

Regulation of E-cadherin function in skin-derived dendritic cells by proinflammatory epidermal cytokines: implications for the mobilization of Langerhans cells in vivo (Jakob). 1998;39:274-5 (From the Academy)

Dermatitis

Granulomatous dermatitis with focal sarcoidal features associated with recombinant interferon β -1b injections (Mehta et al). 1998;39:1024-8 (Brief comm.)

Photosensitive dermatitis caused by pyridoxine hydrochloride (Murata et al). 1998;39:314-7 (Case rep.)

Dermatitis, atopic

Fluticasone propionate 0.05% cream once daily versus clobetasone butyrate 0.05% cream twice daily in children with atopic dermatitis (Wolkerstorfer et al). 1998;39:226-31 (Therapy)

Dermatitis, contact

Latex: a cause of allergic contact eczema in users of natural rubber gloves (Wilkinson and Burd). 1998;39:36-42

Latex allergy (Warsaw). 1998;39:1-24 (CME article)

Position paper of the American Academy of Dermatology Latex Allergy Work Group (Cohen et al). 1998;39:98-106 (From the Academy)

Dermatofibrosarcoma

A familial dermatofibrosarcoma protuberans (Gardner et al). 1998;39:504-5 (Brief comm.)

Dermatologic surgery

Dermatology surgery. 1998;39:74-8, 746-50, 975-92

Dermatology

Dermatologists meet the primary care standard for first contact management of skin disease (Feldman et al). 1998;39:182-6

Dermatology, history

Two hundred years of dermatology (Crissey and Parish). 1998;39:1002-6 (Special article)

Dermatomyositis

Dermatomyositis (Kovacs and Kovacs). 1998;39:899-920 (CME article)

Paraneoplastic dermatomyositis presenting as erythroderma (Nousari et al). 1998;39:653-4 (Brief comm.)

Dermatopathology

Dermatopathology. 1998;39:239-45

Dermatophytes

A survey of dermatophytes isolated from human patients in the United States from 1993 to 1995 (Weitzman et al). 1998;39:255-61 (Special rep.)

Desmoglein-1

D-Penicillamine-induced pemphigus foliaceus with autoantibodies to desmoglein-1 (Brenner and Ruocco) (Letter); (Peñas and Carvajal) (Reply). 1998;39:137-8

Dicloxacillin

Chronic bullous disease of childhood: successful treatment with dicloxacillin (Siegfried and Sirawan). 1998;39:797-800 (Brief comm.)

Diffuse plane xanthoma; see Xanthoma**Dilated cardiomyopathy; see Cardiomyopathy, congestive****Dinitrochlorobenzene**

Efficacy of topical sensitizers in the treatment of alopecia areata (Rokhsar et al). 1998;39:751-61 (Clin. rev.)

Improvement of lichen nitidus after topical dinitrochlorobenzene application (Kano et al). 1998;39:305-8 (Case rep.)

Diphenylcyclopropenone

Efficacy of topical sensitizers in the treatment of alopecia areata (Rokhsar et al). 1998;39:751-61 (Clin. rev.)

DNA, mitochondrial

Skin manifestations of mitochondrial DNA syndromes: case report and review (Flynn et al). 1998;39:819-23 (Case rep.)

Dopachrome tautomerase

Regulation of dopachrome tautomerase expression and use in the study of melanocyte development (Hornyak). 1998;39:273-4 (From the Academy)

Drug carriers

The critical role of the vehicle to therapeutic efficacy and patient compliance (Piacquadio and Kligman). 1998;39:S67-73

The efficacy of metronidazole 1% cream once daily compared with metronidazole 1% cream twice daily and their vehicles in rosacea: a double-blind clinical trial (Jorizzo et al). 1998;39:502-4 (Brief comm.)

Drug dosing

The efficacy of metronidazole 1% cream once daily compared with metronidazole 1% cream twice daily and their vehicles in rosacea: a double-blind clinical trial (Jorizzo et al). 1998;39:502-4 (Brief comm.)

High-strength tretinoin: a method for rapid retinization of facial skin (Kligman et al). 1998;39:S93-7

E**Ear**

Spectrum of cartilage grafting in cutaneous reconstructive surgery (Otley and Sherris). 1998;39:982-92 (Derm. surg.)

Symmetrical, papular, eruptive auricular collagenomas (Betti et al). 1998;39:363-4 (Case rep.)

Ear piercing

A simple technique for ear piercing (Landeck et al). 1998;39:795-6 (Brief comm.)

E-cadherin; see Cadherins**Eccrine glands**

Familial eccrine syringofibroadenomatosis with associated ophthalmologic abnormalities (Chen et al). 1998;39:356-8 (Case rep.)

Eczema, contact; see Dermatitis, contact**Edema**

Removal of dermal edema with class I and II compression stockings in patients with lipodermatosclerosis (Gniadecka et al). 1998;39:966-70 (Therapy)

Editor

The Blue Journal (Dobson). 1998;39:129 (Editorial)

Editorial

Editorial. 1998;39:129

Elastic tissue

Linear focal elastosis: keloidal repair of striae distensae (Hashimoto). 1998;39:309-13 (Case rep.)

Elderly; see Aged**Engineering**

Tissue engineering for skin: an update (Eaglstain and Falanga). 1998;39:1007-10 (Special rep.)

Eosinophilia

Systemic lupus erythematosus after eosinophilic fasciitis: a case report (Gallardo et al). 1998;39:283-5 (Brief comm.)

Epidermoid carcinoma; see Carcinoma, squamous cell**Epinephrine**

Antimicrobial effects of lidocaine, bicarbonate, and epinephrine (Epstein). 1998;39:518-9 (Letter)

Erythema

Persistent suppurative erythematous eruption: a rare local compli-

Erythema—cont'd

cation of intravenous 5-fluorouracil therapy (Pujol et al). 1998;39:839-42 (Case rep.)

Plaque-like erythema with milia: a noninfectious dermal mucinosis mimicking cryptococcal cellulitis in a renal transplant recipient (Carrington et al). 1998;39:334-7 (Case rep.)

Erythema multiforme

Atypical forms of herpes simplex-associated erythema multiforme (Weston and Brice). 1998;39:124-5 (Brief comm.)

Isolation of *Mycobacterium avium* complex from erythema multiforme (Brown and Yen). 1998;39:493-5 (Brief comm.)

Erythroderma

Bullous pemphigoid presenting as exfoliative erythroderma (Alonso-Llamazares et al). 1998;39:827-30 (Case rep.)

Lichenoid erythrodermic bullous pemphigoid of the African patient (Joly et al). 1998;39:691-7

Paraneoplastic dermatomyositis presenting as erythroderma (Nousari et al). 1998;39:653-4 (Brief comm.)

Estrogen

Estrogen-sensitive cutaneous polyarteritis nodosa: response to tamoxifen (Cvancara et al). 1998;39:643-6 (Brief comm.)

Ethnic factors

Assessment of topical retinoids for the treatment of Far-East Asian skin (Griffiths). 1998;39:S104-7

Photosensitivity of the American Indian: terminology and historical aspects (Johnson and Fusaro) (Letter); (Magaña) (Reply). 1998;39:662-4

The role of retinoids in the management of cutaneous conditions in blacks (Halder). 1998;39:S98-103

Etretinate

Pharmacokinetics of acitretin and etretinate (Wiegand and Chou). 1998;39:S25-33

Eumycetozoea

Treatment of eumycetoma (del Giudice) (Letter); (Guillot et al) (Reply). 1998;39:137

Exanthem

Elevated serum levels of interleukins 5, 6, and 10 in a patient with drug-induced exanthem caused by systemic corticosteroids (Yawalkar et al). 1998;39:790-3 (Brief comm.)

Exercise

Influence of an antiperspirant on foot blister incidence during cross-country hiking (Knapik et al). 1998;39:202-6

Eye abnormalities

Familial eccrine syringofibroadenomatosis with associated ophthalmologic abnormalities (Chen et al). 1998;39:356-8 (Case rep.)

F

Face

Blaschko lines of the face: a step closer to completing the map (Restano et al). 1998;39:1028-30 (Brief comm.)

High-strength tretinoin: a method for rapid retinization of facial skin (Kligman et al). 1998;39:S93-7

Incidence of postoperative infection or positive culture after facial laser resurfacing: a pilot study, a case report, and a proposal for a rational approach to antibiotic prophylaxis (Ross et al). 1998;39:975-81 (Derm. surg.)

Facial neoplasms

Cutaneous metastasis presenting as facial lymphedema (Jang et al). 1998;39:637-8 (Brief comm.)

Far-East Asians; see Asians

Fasciitis

Systemic lupus erythematosus after eosinophilic fasciitis: a case report (Gallardo et al). 1998;39:283-5 (Brief comm.)

Fatty tissue; see Adipose tissue

Fetus

Prenatal findings in membranous aplasia cutis (Cambiaghi et al). 1998;39:638-40 (Brief comm.)

Skin dimpling as a consequence of amniocentesis (Cambiaghi et al). 1998;39:888-90 (Case rep.)

Fibrosarcoma

A familial dermatofibrosarcoma protuberans (Gardner et al). 1998;39:504-5 (Brief comm.)

Finasteride

Finasteride in the treatment of men with androgenetic alopecia (Kaufman et al). 1998;39:578-89 (Therapy)

Fine needle aspiration; see Biopsy, needle

Fingernails; see Nails

Flegel's disease; see Hyperkeratosis

Fluorouracil

Persistent suprapneous erythematous eruption: a rare local complication of intravenous 5-fluorouracil therapy (Pujol et al). 1998;39:839-42 (Case rep.)

Fluticasone

Fluticasone propionate 0.05% cream once daily versus clobetasone butyrate 0.05% cream twice daily in children with atopic dermatitis (Wolkerstorfer et al). 1998;39:226-31 (Therapy)

Flutter valve

Flutter valve purpura (Knoell and Becker). 1998;39:292-3 (Brief comm.)

Folliculitis

Folliculitis spinulosa decalvans: successful therapy with dapson (Kunte et al). 1998;39:891-3 (Case rep.)

Foot

Influence of an antiperspirant on foot blister incidence during cross-country hiking (Knapik et al). 1998;39:202-6

From the Academy

From the Academy. 1998;39:98-106, 270-5, 765-86

Frozen sections

Surgical Pearl: The use of multiple different tissue specimens on the same glass slide to enhance the efficiency of frozen section preparation in Mohs micrographic surgery (Gloster and Taylor). 1998;39:107-8 (Pearls)

Fungi

Cutaneous manifestations of *Paecilomyces lilacinus* infection induced by a contaminated skin lotion in patients who are severely immunosuppressed (Itin et al). 1998;39:401-9

Cutaneous *Paecilomyces lilacinus* infection (Castro) (Letter); (Weinberg and Hecker) (Reply). 1998;39:516-7

Granulomatous skin infection caused by *Scopulariopsis brevicaulis* (Bruynzeel and Starink). 1998;39:365-7 (Case rep.)

Invasive *Trichophyton rubrum* resembling blastomycosis infection in the immunocompromised host (Squeo et al). 1998;39:379-80 (Case rep.)

Ketoconazole 2% shampoo in the treatment of tinea versicolor: a multicenter, randomized, double-blind, placebo-controlled trial (Lange et al). 1998;39:944-50

Nondermatologists are more likely than dermatologists to prescribe antifungal/corticosteroid products: an analysis of office visits for cutaneous fungal infections, 1990-1994 (Smith et al). 1998;39:43-7

Onychomycosis: an evaluation of three sampling methods (Hull et al). 1998;39:1015-7 (Brief comm.)

Onychomycosis associated with *Onychocola canadensis*: ten case reports and a review of the literature (Gupta et al). 1998;39:410-7

Reversible agranulocytosis associated with oral terbinafine for onychomycosis (Ornstein and Ely). 1998;39:1023-4 (Brief comm.)

Scedosporium apiospermum skin infection: a case report and review of the literature (Miyamoto et al). 1998;39:498-500 (Brief comm.)

Fungi—cont'd

- Spores and mycelia in cutaneous chromomycosis (Lee et al). 1998;39:850-2 (Case rep.)
- A survey of dermatophytes isolated from human patients in the United States from 1993 to 1995 (Weitzman et al). 1998;39:255-61 (Special rep.)
- Terbinafine (Shwayder) (Letter); (Ungpakorn and Kullavanijaya) (Reply). 1998;39:136
- Treatment of eumycetoma (del Giudice) (Letter); (Guillot et al) (Reply). 1998;39:137

G**Gangrene**

- Efficacy of tacrolimus (FK 506) in idiopathic treatment-resistant pyoderma gangrenosum (Weichert and Sauder). 1998;39:648-50 (Brief comm.)

Genes

- p54 Where Are You? (Bernhard). 1998;39:762-3 (The Blue Journal)

Genistein

- Photoprotective action of isoflavone genistein: models, mechanisms, and relevance to clinical dermatology (Wei). 1998;39:271-2 (From the Academy)

Gloves; see Surgical gloves**Gout**

- Cutaneous deposition diseases. Part II (Touart and Sau). 1998;39:527-44 (CME article)

Granular cell tumor

- An S100 negative granular cell tumor with malignant potential: report of a case (Schoedel et al). 1998;39:894-8 (Case rep.)

Granuloma

- Granulomatous dermatitis with focal sarcoidal features associated with recombinant interferon b-1b injections (Mehta et al). 1998;39:1024-8 (Brief comm.)
- Granulomatous skin infection caused by *Scopulariopsis brevicaulis* (Bruynzeel and Starink). 1998;39:365-7 (Case rep.)

Granuloma annulare

- Treatment of granuloma annulare by local injections with low-dose recombinant human interferon gamma (Weiss et al). 1998;39:117-9 (Brief comm.)

Graves' disease

- Graves' disease presenting as localized myxedema in a thigh donor graft site (Missner et al). 1998;39:846-9 (Case rep.)

Groin

- Intertriginous granular parakeratosis (Mehregan et al). 1998;39:495-6 (Brief comm.)

Guidelines

- Guidelines of care: hemangiomas of infancy (Haimowitz) (Letter); (Frieden) (Reply). 1998;39:662

H**Hair**

- Efficacy of topical sensitizers in the treatment of alopecia areata (Rokhsar et al). 1998;39:751-61 (Clin. rev.)
- Epidermolytic palmoplantar keratoderma with woolly hair and dilated cardiomyopathy (Carvajal-Huerta). 1998;39:418-21
- Finasteride in the treatment of men with androgenetic alopecia (Kaufman et al). 1998;39:578-89 (Therapy)
- Pulse methylprednisolone therapy for severe alopecia areata: an open prospective study of 45 patients (Friedli et al). 1998;39:597-602 (Therapy)
- Retinoids and hair growth (Bergfeld). 1998;39:S86-9

Halobetasol

- Calcipotriene ointment and halobetasol ointment in the long-term treatment of psoriasis: effects on the duration of improvement (Lebwohl et al). 1998;39:447-50 (Therapy)

Hamartoma

- Hamartomatous congenital melanocytic nevi showing secondary anetoderma-like changes (Cockayne and Gawkrödger). 1998;39:843-5 (Case rep.)
- Multiple follicular hamartomas with sweat gland and sebaceous differentiation, vermiculate atrophoderma, milia, hypotrichosis, and late development of multiple basal cell carcinomas (Pujol et al). 1998;39:853-7 (Case rep.)

Hand deformities, congenital

- Nevoid hypertrichosis associated with duplication of the right thumb (Taşkan et al). 1998;39:114-5 (Brief comm.)

Hardness of lesion

- The effectiveness of a new method for assessing induration (Flores et al). 1998;39:1021-2 (Brief comm.)

Helper cells

- Sweet's syndrome: Is the pathogenesis mediated by helper T cell type 1 cytokines? (Giasuddin et al). 1998;39:940-3

Hemangioma

- Guidelines of care: hemangiomas of infancy (Haimowitz) (Letter); (Frieden) (Reply). 1998;39:662
- Neurotoxicity of interferon alfa in children treated for hemangiomas (Enjolras) (Letter); (Stratte and Tope) (Reply); (Blei) (Reply). 1998;39:1037-8

Hemodialysis

- Periumbilical pseudoxanthoma elasticum associated with chronic renal failure and angioid streaks—apparent regression with hemodialysis (Sapadin et al). 1998;39:338-4 (Case rep.)

Hepatitis C

- Acquired unilateral nevoid telangiectasia syndrome (Taşkan and Harmaneri) (Letter); (Hynes and Shenefelt) (Reply). 1998;39:138-9
- Early-stage HIV infection and hepatitis C virus infection are associated with elevated serum porphyrin levels (Lim et al). 1998;39:956-9
- Scarring alopecia and sclerodermatous changes of the scalp in a patient with hepatitis C infection (Jackson and Callen). 1998;39:824-6 (Case rep.)
- Urticarial vasculitis caused by hepatitis C virus infection: response to interferon alfa therapy (Hamid et al). 1998;39:278-80 (Brief comm.)

Heroin

- Pemphigus vegetans—Neumann variant associated with intranasal heroin abuse (Downie et al). 1998;39:872-5 (Case rep.)

Herpes simplex

- Atypical forms of herpes simplex—associated erythema multiforme (Weston and Brice). 1998;39:124-5 (Brief comm.)

Herpes zoster

- Herpes zoster in children (Kakourou et al). 1998;39:207-10

Hidradenitis

- Topical clindamycin versus systemic tetracycline in the treatment of hidradenitis suppurativa (Jemec and Wendelboe). 1998;39:971-4 (Therapy)

Hiking

- Influence of an antiperspirant on foot blister incidence during cross-country hiking (Knapik et al). 1998;39:202-6

Histiocytes

- Cytophagic histiocytic panniculitis—a syndrome associated with benign and malignant panniculitis: case comparison and review of the literature (Craig et al). 1998;39:721-36

Histiocytosis, Langerhans-cell

- Langerhans cell histiocytosis in the elderly: a report of three cases (Stefanato et al). 1998;39:375-8 (Case rep.)

Historical article

- Two hundred years of dermatology (Crissey and Parish). 1998;39:1002-6 (Special article)

HIV

- Correlation of skin disorders with CD4 lymphocyte counts in patients with HIV/AIDS (Mignard et al). 1998;39:298-9 (Letter)
- Early-stage HIV infection and hepatitis C virus infection are associated with elevated serum porphyrin levels (Lim et al). 1998;39:956-9
- HIV-positive patients differ from HIV-negative patients in indications for and type of UV therapy used (Stern et al). 1998;39:48-55
- Multiple myeloma in an HIV-positive man presenting with primary cutaneous plasmacytomas and spinal cord compression (Lallemant et al). 1998;39:506-8 (Brief comm.)
- Topical and intralesional cidofovir: a review of pharmacology and therapeutic effects (Zabawski and Cockerell). 1998;39:741-5 (Therapy)

Horns

- Trichilemmal horn: case presentation and literature review (DiMaio and Cohen). 1998;39:368-71 (Case rep.)

Hunter syndrome; see Mucopolysaccharidosis II

Hydroxyurea

- Leg ulcers associated with long-term hydroxyurea therapy (Weinlich et al). 1998;39:372-4 (Case rep.)

Hyperhidrosis

- Botulinum toxin in the treatment of palmar hyperhidrosis (Holmes and Mann) (Letter); (Shelley et al) (Reply). 1998;39:1040-1

Hyperkeratosis

- Unilateral hyperkeratosis lenticularis perstans (Flegel's disease) (Miranda-Romero et al). 1998;39:655-7 (Brief comm.)

Hypersensitivity

- Latex: a cause of allergic contact eczema in users of natural rubber gloves (Wilkinson and Burd). 1998;39:36-42
- Latex allergy (Warshaw). 1998;39:1-24 (CME article)
- Position paper of the American Academy of Dermatology Latex Allergy Work Group (Cohen et al). 1998;39:98-106 (From the Academy)
- Sparing of tuberculoid leprosy patch in a patient with dapsone hypersensitivity syndrome (Ng and Goh). 1998;39:646-8 (Brief comm.)
- Topically applied pentoxifylline has no effect on allergic patch responses (Brehler et al). 1998;39:1017-21 (Brief comm.)

Hypertrichosis

- Nevoid hypertrichosis associated with duplication of the right thumb (Taşkan et al). 1998;39:114-5 (Brief comm.)

Hypopigmentation; see Pigmentation disorders

Hypotrichosis

- Multiple follicular hamartomas with sweat gland and sebaceous differentiation, vermiculate atrophoderma, milia, hypotrichosis, and late development of multiple basal cell carcinomas (Pujol et al). 1998;39:853-7 (Case rep.)

I

Idiopathic nodular panniculitis; see Panniculitis

Immunocompromised host

- Cutaneous manifestations of *Paecilomyces lilacinus* infection induced by a contaminated skin lotion in patients who are severely immunosuppressed (Itin et al). 1998;39:401-9
- Invasive *Trichophyton rubrum* resembling blastomycosis infection in the immunocompromised host (Squeo et al). 1998;39:379-80 (Case rep.)

Immunoglobulins, intravenous

- Successful treatment of pyoderma gangrenosum with intravenous human immunoglobulin (Dirschka et al). 1998;39:789-90 (Brief comm.)

Immunophenotyping

- Immunophenotyping and T-cell receptor γ gene rearrangement analysis as an adjunct to the histopathologic diagnosis of mycosis fungoides (Bergman et al). 1998;39:554-9

Immunostaining; see Stains and staining

In memoriam

- A tribute to Rudolf L. Baer (1910-1997) (Freedberg and Kopf). 1998;39:513-5

Indians, American

- Photosensitivity of the American Indian: terminology and historical aspects (Johnson and Fusaro) (Letter); (Magaña) (Reply). 1998;39:662-4

Induration of lesion

- The effectiveness of a new method for assessing induration (Flores et al). 1998;39:1021-2 (Brief comm.)

Infant

- Guidelines of care: hemangiomas of infancy (Haimowitz) (Letter); (Frieden) (Reply). 1998;39:662
- Purpura in infants and children (Burrows). 1998;39:661-2 (Letter)

Infant, newborn

- Skin dimpling as a consequence of amniocentesis (Cambiaghi et al). 1998;39:888-90 (Case rep.)

Infection

- Toxin-mediated streptococcal and staphylococcal disease (Manders). 1998;39:383-98 (CME article)

Ingrown nails; see Nails, ingrown

Interferon-alfa

- Carbon dioxide laser ablation associated with interferon alfa-2b injections reduces the recurrence of keloids (Conejo-Mir et al) (Letter); (Berman and Flores) (Reply). 1998;39:1039-40
- Neurotoxicity of interferon alfa in children treated for hemangiomas (Enjolras) (Letter); (Stratte and Tope) (Reply); (Blei) (Reply). 1998;39:1037-8
- Urticarial vasculitis caused by hepatitis C virus infection: response to interferon alfa therapy (Hamid et al). 1998;39:278-80 (Brief comm.)

Interferon-beta

- Cutaneous necrosis associated with recombinant interferon injection (Weinberg) (Letter); (Elgart) (Reply). 1998;39:807-8
- Granulomatous dermatitis with focal sarcoidal features associated with recombinant interferon β -1b injections (Mehta et al). 1998;39:1024-8 (Brief comm.)

Interferon-gamma

- Treatment of granuloma annulare by local injections with low-dose recombinant human interferon gamma (Weiss et al). 1998;39:117-9 (Brief comm.)

Interleukin-2

- Antitumor activity of DAB₃₈₉IL-2 fusion toxin in mycosis fungoides (Saleh et al). 1998;39:63-73 (Therapy)

Interleukin-5

- Elevated serum levels of interleukins 5, 6, and 10 in a patient with drug-induced exanthem caused by systemic corticosteroids (Yawalkar et al). 1998;39:790-3 (Brief comm.)

Interleukin-6

- Elevated serum levels of interleukins 5, 6, and 10 in a patient with drug-induced exanthem caused by systemic corticosteroids (Yawalkar et al). 1998;39:790-3 (Brief comm.)

Interleukin-10

- Elevated serum levels of interleukins 5, 6, and 10 in a patient with drug-induced exanthem caused by systemic corticosteroids (Yawalkar et al). 1998;39:790-3 (Brief comm.)

Internship and residency

- Recommendations for credentialing and privileging (Drake et al). 1998;39:765-86 (From the Academy)

Iotaderma

- Iotaderma. 1998;39:108, 250, 480, 634, 788, 1001

Isoflavones

- Photoprotective action of isoflavone genistein: models, mechanisms, and relevance to clinical dermatology (Wei). 1998;39:271-2 (From the Academy)

Isotretinoin

Pharmacokinetics of oral isotretinoin (Wiegand and Chou). 1998;39:S8-12

The role of isotretinoin in the treatment of acne: personal observations (Leyden). 1998;39:S45-9

Itching; see Pruritus**Itraconazole**

Treatment of tinea capitis with itraconazole capsule pulse therapy (Gupta et al). 1998;39:216-9 (Therapy)

J**Journal of the American Academy of Dermatology**

The Blue Journal (Dobson). 1998;39:129 (Editorial)

My Grandfather's Axe (Bernhard). 1998;39:246-7 (The Blue Journal)

Touch (Bernhard). 1998;39:476-7 (The Blue Journal)

Juvenile xanthogranuloma; see Xanthogranuloma, juvenile**K****Keloid**

Acne keloidalis is lichen simplex chronicus with fibrotic keloidal scarring (Burkhart and Burkhart). 1998;39:661 (Letter)

Carbon dioxide laser ablation associated with interferon alfa-2b injections reduces the recurrence of keloids (Conejo-Mir et al) (Letter); (Berman and Flores) (Reply). 1998;39:1039-40

Linear focal elastosis: keloidal repair of striae distensae (Hashimoto). 1998;39:309-13 (Case rep.)

The role of retinoids in the management of cutaneous conditions in blacks (Halder). 1998;39:S98-103

Keratin

Trichilemmal horn: case presentation and literature review (DiMaio and Cohen). 1998;39:368-71 (Case rep.)

Keratosis

Managing actinic keratoses with retinoids (Odom). 1998;39:S74-8

Unilateral hyperkeratosis lenticularis perstans (Flegel's disease) (Miranda-Romero et al). 1998;39:655-7 (Brief comm.)

Keratosis palmaris et plantaris

Epidermolytic palmoplantar keratoderma with woolly hair and dilated cardiomyopathy (Carvajal-Huerta). 1998;39:418-21

Ketoconazole

Ketoconazole 2% shampoo in the treatment of tinea versicolor: a multicenter, randomized, double-blind, placebo-controlled trial (Lange et al). 1998;39:944-50

Kidney failure, chronic

Periumbilical pseudoxanthoma elasticum associated with chronic renal failure and angioid streaks—apparent regression with hemodialysis (Sapadin et al). 1998;39:338-4 (Case rep.)

Kidney transplantation

Plaque-like erythema with milia: a noninfectious dermal mucinosis mimicking cryptococcal cellulitis in a renal transplant recipient (Carrington et al). 1998;39:334-7 (Case rep.)

Knot tying; see Suture techniques**L****Langerhans cell histiocytosis; see Histiocytosis, Langerhans-cell Langerhans cells**

Regulation of E-cadherin function in skin-derived dendritic cells by proinflammatory epidermal cytokines: implications for the mobilization of Langerhans cells in vivo (Jakob). 1998;39:274-5 (From the Academy)

Large cell lymphoma; see Lymphoma, large-cell**Laser surgery**

Carbon dioxide laser ablation associated with interferon alfa-2b injections reduces the recurrence of keloids (Conejo-Mir et al) (Letter); (Berman and Flores) (Reply). 1998;39:1039-40

Incidence of postoperative infection or positive culture after facial

laser resurfacing: a pilot study, a case report, and a proposal for a rational approach to antibiotic prophylaxis (Ross et al). 1998;39:975-81 (Derm. surg.)

A side-by-side comparison of carbon dioxide resurfacing lasers for the treatment of rhytides (Gross and Rogers). 1998;39:547-53

Treatment of spider veins with the 595 nm pulsed-dye laser (Bernstein et al). 1998;39:746-50 (Derm. surg.)

Latex

Latex: a cause of allergic contact eczema in users of natural rubber gloves (Wilkinson and Burd). 1998;39:36-42

Latex allergy (Warsaw). 1998;39:1-24 (CME article)

Position paper of the American Academy of Dermatology Latex Allergy Work Group (Cohen et al). 1998;39:98-106 (From the Academy)

Leg ulcer

Activated protein C resistance and anticardiolipin antibodies in patients with venous leg ulcers (Fisher) (Letter); (Grossman et al) (Reply). 1998;39:299-300

Leg ulcers associated with long-term hydroxyurea therapy (Weinlich et al). 1998;39:372-4 (Case rep.)

The safety and efficacy of a proteolytic ointment in the treatment of chronic ulcers of the lower extremity (Falabella et al). 1998;39:737-40 (Therapy)

Shave therapy is a simple, effective treatment of persistent venous leg ulcers (Schmeller et al). 1998;39:232-8 (Therapy)

Lentigo

Congenital unilateral speckled lentiginous blue nevi with asymmetric spinal muscular atrophy (Hofmann et al). 1998;39:326-9 (Case rep.)

The development of lentigines within segmental achromic nevi (Bologna et al). 1998;39:330-3 (Case rep.)

Morphometric discrimination of melanoma in situ of sun-damaged skin from chronically sun-damaged skin (Acker et al). 1998;39:239-45 (Dermatopathology)

Usefulness of the staged excision for lentigo maligna and lentigo maligna melanoma (Schultz and Roenigk). 1998;39:519 (Letter)

Leprosy, tuberculoid

Sparing of tuberculoid leprosy patch in a patient with dapsone hypersensitivity syndrome (Ng and Goh). 1998;39:646-8 (Brief comm.)

Letters

Correspondence. 1998;39:134-9, 298-300, 516-9, 661-4, 807-10, 1037-42

Leukemia, lymphocytic, chronic

Exaggerated arthropod-bite lesions in patients with chronic lymphocytic leukemia: a clinical, histopathologic, and immunopathologic study of eight patients (Davis et al). 1998;39:27-35

Leukocytosis

Pustular psoriasisiform eruption with leukocytosis associated with terbinafine (Papa and Miller). 1998;39:115-7 (Brief comm.)

Leukonychia

Congenital leukonychia (Stevens et al). 1998;39:509-12 (Brief comm.)

Lichens

Acne keloidalis is lichen simplex chronicus with fibrotic keloidal scarring (Burkhart and Burkhart). 1998;39:661 (Letter)

Bullous lichen sclerosis et atrophicus (Hallel-Halevy et al). 1998;39:500-1 (Brief comm.)

Improvement of lichen nitidus after topical dinitrochlorobenzene application (Kano et al). 1998;39:305-8 (Case rep.)

Lichenoid erythrodermic bullous pemphigoid of the African patient (Joly et al). 1998;39:691-7

Penile shaft hypopigmentation: lichen sclerosis occurring after the initiation of alprostadil intracavernous injections for erectile dysfunction (English et al). 1998;39:801-3 (Brief comm.)

Lidocaine

- Antimicrobial effects of lidocaine, bicarbonate, and epinephrine (Epstein). 1998;39:518-9 (Letter)
Repetitive pinching of the skin during lidocaine infiltration reduces patient discomfort (Fosko et al). 1998;39:74-8 (Derm. surg.)

Linear focal elastosis

- Linear focal elastosis: keloidal repair of striae distensae (Hashimoto). 1998;39:309-13 (Case rep.)

Linear psoriasis; see Psoriasis

Linear scleroderma; see Scleroderma, circumscribed

Lip

- A reaction to a red lip cosmetic tattoo (Duke et al). 1998;39:488-90 (Brief comm.)

Lipoatrophia semicircularis

- Lipoatrophia semicircularis—a traumatic panniculitis: report of seven cases and review of the literature (Nagore et al). 1998;39:879-81 (Case rep.)

Lipodermatosclerosis

- Removal of dermal edema with class I and II compression stockings in patients with lipodermatosclerosis (Gniadecka et al). 1998;39:966-70 (Therapy)

Lipoid proteinosis

- Cutaneous deposition diseases. Part I (Touart and Sau). 1998;39:149-71 (CME article)

Livedo reticularis

- Relapsing livedo reticularis in the setting of chronic pancreatitis (Gould et al). 1998;39:1035-6 (Brief comm.)

Local anesthesia; see Anesthesia, local

Lupus erythematosus, systemic

- Systemic lupus erythematosus after eosinophilic fasciitis: a case report (Gallardo et al). 1998;39:283-5 (Brief comm.)
Thalidomide for recalcitrant discoid lesions in a patient with systemic lupus erythematosus (Warren et al). 1998;39:293-5 (Brief comm.)

Lymphangioma

- Lymphangioendothelioma after a tick bite (Wilmer et al). 1998;39:126-8 (Brief comm.)

Lymphangitis

- Lymphangitis as a complication of intralesional bleomycin therapy (Allen and Fosko). 1998;39:295-7 (Brief comm.)

Lymphatic system

- Lymphatic mapping and sentinel node biopsy in the management of high-risk melanoma (Glass et al). 1998;39:603-10 (Clin. rev.)

Lymphedema

- Cutaneous metastasis presenting as facial lymphedema (Jang et al). 1998;39:637-8 (Brief comm.)

Lymphocytes

- Correlation of skin disorders with CD4 lymphocyte counts in patients with HIV/AIDS (Mignard et al). 1998;39:298-9 (Letter)

Lymphoma, large-cell

- Intravascular large cell lymphoma: a patient with asymptomatic purpuric patches and a chronic clinical course (Chang et al). 1998;39:318-21 (Case rep.)

Lymphoma, T-cell, cutaneous

- Antinuclear antibody seropositivity in patients with cutaneous T-cell lymphoma (Peterson et al). 1998;39:434-8

M

Madder plant

- Useful plants of dermatology. IV. Alizarin red and madder (Norton). 1998;39:484-5 (Special article)

Mastectomy

- Recurrent pemphigus vulgaris limited to the surgical area after mastectomy (Shirahama et al). 1998;39:352-5 (Case rep.)

Mastocytosis

- Congenital bullous mastocytosis with myeloproliferative disorders and *c-kit* mutation (Shah et al). 1998;39:119-21 (Brief comm.)

Medical Dermatology Society

- Whither the patient-oriented researcher? (Sontheimer and Werth). 1998;39:109-13 (Current issues)

Melanocytes

- Longitudinal melanonychia revealing an intraepidermal carcinoma of the nail apparatus: detection of integrated HPV-16 DNA (Sass et al). 1998;39:490-3 (Brief comm.)
Nevus with fat: clinical characteristics of 100 nevi containing mature adipose cells (Eng and Cohen). 1998;39:704-11
Regulation of dopachrome tautomerase expression and use in the study of melanocyte development (Hornyak). 1998;39:273-4 (From the Academy)

Melanoma

- Cutaneous melanoma: patient surveillance and tumor progression (Richert et al). 1998;39:571-7
Cutaneous melanoma risk and phenotypic changes in large congenital nevi: a follow-up study of 46 patients (Egan et al). 1998;39:923-32
Digital videomicroscopy improves diagnostic accuracy for melanoma (Seidenari et al). 1998;39:175-81
Identification of melanoma metastases by tyrosinase—reverse transcription—polymerase chain reaction of fine needle aspirates (Voit et al). 1998;39:1030-2 (Brief comm.)
Intervention strategy to prevent lethal cutaneous melanoma: use of dermatologic photography to aid surveillance of high-risk persons (Rhodes). 1998;39:262-7 (Current issues)
Laboratory tests and imaging studies in patients with cutaneous malignant melanoma (Huang et al). 1998;39:451-63 (Clin. rev.)
Lymphatic mapping and sentinel node biopsy in the management of high-risk melanoma (Glass et al). 1998;39:603-10 (Clin. rev.)
Melanoma-in-transit presenting as panniculitis (Cotton et al). 1998;39:876-8 (Case rep.)
Morphometric discrimination of melanoma in situ of sun-damaged skin from chronically sun-damaged skin (Acker et al). 1998;39:239-45 (Dermatopathology)
Multiple primary melanomas (Johnson et al). 1998;39:422-7
Risk of melanoma in medium-sized congenital melanocytic nevi: a follow-up study (Sahin et al). 1998;39:428-33
Usefulness of the staged excision for lentigo maligna and lentigo maligna melanoma (Schultz and Roenigk). 1998;39:519 (Letter)

Melphalan

- Reticulate scleroderma after isolated limb perfusion with melphalan (Landau et al). 1998;39:1011-2 (Brief comm.)

Merkel cell carcinoma; see Carcinoma, Merkel cell

Methotrexate

- Accelerated cutaneous nodulosis during methotrexate therapy in a patient with rheumatoid arthritis (Williams et al). 1998;39:359-62 (Case rep.)
Low-dose methotrexate in the treatment of widespread morphea (Seyger et al). 1998;39:220-5 (Therapy)
Pneumocystis carinii pneumonia complicating methotrexate treatment of pityriasis rubra pilaris (Duncan et al). 1998;39:276-8 (Brief comm.)
Thrombocytopenia after a single test dose of methotrexate (Jih and Werth). 1998;39:349-51 (Case rep.)

Methylprednisolone

- Pulse methylprednisolone therapy for severe alopecia areata: an open prospective study of 45 patients (Friedli et al). 1998;39:597-602 (Therapy)

Metronidazole

- The efficacy of metronidazole 1% cream once daily compared with metronidazole 1% cream twice daily and their vehicles in rosacea: a double-blind clinical trial (Jorizzo et al). 1998;39:502-4 (Brief comm.)

Microscopy

Digital videomicroscopy improves diagnostic accuracy for melanoma (Seidenari et al). 1998;39:175-81

Milia

Multiple follicular hamartomas with sweat gland and sebaceous differentiation, vermiculate atrophoderma, milia, hypotrichosis, and late development of multiple basal cell carcinomas (Pujol et al). 1998;39:853-7 (Case rep.)

Plaque-like erythema with milia: a noninfectious dermal mucinosis mimicking cryptococcal cellulitis in a renal transplant recipient (Carrington et al). 1998;39:334-7 (Case rep.)

Missions and missionaries

Medical missions and dermatology (Boyd). 1998;39:658-60 (Current issues)

Mitochondrial DNA; see DNA, mitochondrial**Mohs surgery**

Mohs micrographic surgery: a cost analysis (Cook and Zitelli). 1998;39:698-703

Mohs micrographic surgery (Shriner et al). 1998;39:79-97 (Clin. rev.)

Surgical Pearl: The use of multiple different tissue specimens on the same glass slide to enhance the efficiency of frozen section preparation in Mohs micrographic surgery (Gloster and Taylor). 1998;39:107-8 (Pearls)

Mongolian spots

Extensive Mongolian spots associated with Hunter syndrome (Sapadin and Friedman). 1998;39:1013-5 (Brief comm.)

Monophenol monooxygenase

Identification of melanoma metastases by tyrosinase–reverse transcription–polymerase chain reaction of fine needle aspirates (Voit et al). 1998;39:1030-2 (Brief comm.)

Morphea; see Scleroderma, circumscribed**Mucinosis**

Plaque-like erythema with milia: a noninfectious dermal mucinosis mimicking cryptococcal cellulitis in a renal transplant recipient (Carrington et al). 1998;39:334-7 (Case rep.)

Muckle-Wells syndrome

Muckle-Wells syndrome: case report and review of cutaneous pathology (Lieberman et al). 1998;39:290-1 (Brief comm.)

Mucopolysaccharidosis II

Extensive Mongolian spots associated with Hunter syndrome (Sapadin and Friedman). 1998;39:1013-5 (Brief comm.)

Multiple myeloma

Multiple myeloma in an HIV-positive man presenting with primary cutaneous plasmacytomas and spinal cord compression (Lallemant et al). 1998;39:506-8 (Brief comm.)

Muscular atrophy, spinal

Congenital unilateral speckled lentiginous blue nevi with asymmetric spinal muscular atrophy (Hofmann et al). 1998;39:326-9 (Case rep.)

Mustard gas

Chronic neuropathic symptoms after exposure to mustard gas: a long-term investigation (Thomsen et al). 1998;39:187-90

Mutation

Congenital bullous mastocytosis with myeloproliferative disorders and *c-kit* mutation (Shah et al). 1998;39:119-21 (Brief comm.)

p54 Where Are You? (Bernhard). 1998;39:762-3 (The Blue Journal)

Mycelia; see Fungi**Mycobacterium avium**

Isolation of *Mycobacterium avium* complex from erythema multiforme (Brown and Yen). 1998;39:493-5 (Brief comm.)

Mycobacterium bovis

Immunostaining of various micro-organisms by a polyclonal anti-*Mycobacterium bovis* antibody (Arrese and Piérard). 1998;39:809-10 (Letter)

Mycobacterium fortuitum

Mycobacterium fortuitum panniculitis in a steroid-dependent asthmatic patient (Retief and Tharp). 1998;39:650-3 (Brief comm.)

Mycophenolate mofetil

Successful therapy for bullous pemphigoid with mycophenolate mofetil (Nousari et al). 1998;39:497-8 (Brief comm.)

Treatment of relapsing idiopathic nodular panniculitis (Pfeifer-Weber-Christian disease) with mycophenolate mofetil (Enk and Knop). 1998;39:508-9 (Brief comm.)

Mycosis fungoides

Antitumor activity of DAB₃₈₉IL-2 fusion toxin in mycosis fungoides (Saleh et al). 1998;39:63-73 (Therapy)

Immunophenotyping and T-cell receptor γ gene rearrangement analysis as an adjunct to the histopathologic diagnosis of mycosis fungoides (Bergman et al). 1998;39:554-9

Unusual presentation of mycosis fungoides as pigmented purpura with malignant thymoma (Cather et al). 1998;39:858-63 (Case rep.)

Myeloproliferative disorders

Congenital bullous mastocytosis with myeloproliferative disorders and *c-kit* mutation (Shah et al). 1998;39:119-21 (Brief comm.)

Myositis

Dermatomyositis (Kovacs and Kovacs). 1998;39:899-920 (CME article)

Myxedema

Graves' disease presenting as localized myxedema in a thigh donor graft site (Missner et al). 1998;39:846-9 (Case rep.)

N**Nail diseases; see also Tinea unguium**

Congenital leukonychia (Stevens et al). 1998;39:509-12 (Brief comm.)

Longitudinal melanonychia revealing an intraepidermal carcinoma of the nail apparatus: detection of integrated HPV-16 DNA (Sass et al). 1998;39:490-3 (Brief comm.)

Onychomatricoma: clinical and histopathologic findings in 12 cases (Perrin et al). 1998;39:560-4

Onychomycosis associated with *Onychocola canadensis*: ten case reports and a review of the literature (Gupta et al). 1998;39:410-7

Nails

An improved method of studying fingernail morphometry: application to the early detection of fingernail clubbing (Goyal et al). 1998;39:640-2 (Brief comm.)

Nails, ingrown

Surgical Pearl: Nail splinting by flexible tube—a new noninvasive treatment for ingrown toenails (Schulte et al). 1998;39:629-30 (Pearls)

Nails, malformed

Reversible transverse overcurvature of the nails (pincer nails) after treatment with a β -blocker (Greiner et al). 1998;39:486-7 (Brief comm.)

Nasal defect; see Nose**Necrosis**

Cutaneous necrosis associated with recombinant interferon injection (Weinberg) (Letter); (Elgart) (Reply). 1998;39:807-8

Needles

A simple technique for ear piercing (Landeck et al). 1998;39:795-6 (Brief comm.)

Skin dimpling as a consequence of amniocentesis (Cambiaghi et al). 1998;39:888-90 (Case rep.)

Neoplasm metastasis

Cutaneous metastasis presenting as facial lymphedema (Jang et al). 1998;39:637-8 (Brief comm.)

Identification of melanoma metastases by tyrosinase–reverse transcription–polymerase chain reaction of fine needle aspirates (Voit et al). 1998;39:1030-2 (Brief comm.)

Neoplasm metastasis—cont'd

Laboratory tests and imaging studies in patients with cutaneous malignant melanoma (Huang et al). 1998;39:451-63 (Clin. rev.)

Neoplasm recurrence, local

Recurrent basal cell carcinoma treated with cryosurgery (Garcia and Poletti) (Letter); (Kuflik and Gage) (Reply). 1998;39:134

Neoplasms, drug therapy

Systemic treatment of neoplastic conditions with retinoids (Hsu). 1998;39:S108-13

Neumann type pemphigus; see Pemphigus

Neurilemmoma

Neurilemmomatosis, NF2, and juvenile xanthogranuloma (Iyengar et al). 1998;39:831-4 (Case rep.)

Neurofibromatosis 2

Neurilemmomatosis, NF2, and juvenile xanthogranuloma (Iyengar et al). 1998;39:831-4 (Case rep.)

Neuropathies

Chronic neuropathic symptoms after exposure to mustard gas: a long-term investigation (Thomsen et al). 1998;39:187-90

Neurotoxins

Neurotoxicity of interferon alfa in children treated for heman-giomas (Enjolras) (Letter); (Stratte and Tope) (Reply); (Blei) (Reply). 1998;39:1037-8

Nevus

Acquired unilateral nevoid telangiectasia syndrome (Taşkan and Harmanyeri) (Letter); (Hynes and Shenfelt) (Reply). 1998;39:138-9

The development of lentiginos within segmental achromic nevi (Bologna et al). 1998;39:330-3 (Case rep.)

Nevus with fat: clinical characteristics of 100 nevi containing mature adipose cells (Eng and Cohen). 1998;39:704-11

Symmetrical, papular, eruptive auricular collagenomas (Betti et al). 1998;39:363-4 (Case rep.)

Nevus, pigmented

Acantholytic dyskeratotic epidermal nevus induced by ultraviolet B radiation (Youn et al). 1998;39:301-4 (Case rep.)

Congenital unilateral speckled lentiginous blue nevi with asym-metric spinal muscular atrophy (Hofmann et al). 1998;39:326-9 (Case rep.)

Cutaneous melanoma risk and phenotypic changes in large congenital nevi: a follow-up study of 46 patients (Egan et al). 1998;39:923-32

Familial multiple blue nevi (Knoell et al). 1998;39:322-5 (Case rep.)

Hamartomatous congenital melanocytic nevi showing secondary anetoderma-like changes (Cockayne and Gawkrödger). 1998;39:843-5 (Case rep.)

Nevoid hypertrichosis associated with duplication of the right thumb (Taşkan et al). 1998;39:114-5 (Brief comm.)

Risk of melanoma in medium-sized congenital melanocytic nevi: a follow-up study (Sahin et al). 1998;39:428-33

Nocardia asteroides

Superficial cutaneous abscess and multiple brain abscesses from *Nocardia asteroides* in an immunocompetent patient (Ng and Hellingner). 1998;39:793-4 (Brief comm.)

Nose

Spectrum of cartilage grafting in cutaneous reconstructive surgery (Otley and Sherris). 1998;39:982-92 (Derm. surg.)

Surgical Pearl: Delayed intranasal knot tying for composite grafts of the ala (Albertini and Ramsey). 1998;39:787-8 (Pearls)

Surgical Pearl: Dermal advancement flaps for filling deep dorsal nasal defects under grafts (Menaker et al). 1998;39:478-80 (Pearls)

Nutrition

Syphilis brephotropica (Siegfried and Frasier) (Letter); (Hofmann et al) (Letter reply). 1998;39:1041-2

O

Obituaries

A tribute to Rudolf L. Baer (1910-1997) (Freedberg and Kopf). 1998;39:513-5 (In memoriam)

Occupational exposure

Occupationally related tumors in tar refinery workers (Letzel and Drexler). 1998;39:712-20

Ochronosis

Cutaneous deposition diseases. Part II (Touart and Sau). 1998;39:527-44 (CME article)

Onychocola canadensis

Onychomycosis associated with *Onychocola canadensis*: ten case reports and a review of the literature (Gupta et al). 1998;39:410-7

Onychomatricoma

Onychomatricoma: clinical and histopathologic findings in 12 cases (Perrin et al). 1998;39:560-4

Onychomycosis; see Tinea unguium

Ophthalmologic abnormalities; see Eye abnormalities

Ossification

Cutaneous deposition diseases. Part II (Touart and Sau). 1998;39:527-44 (CME article)

Osteoporosis

Sweating, calcium, and osteoporosis (Cohn). 1998;39:1038-9 (Letter)

P

p53; see Proteins

Paecilomyces lilacinus

Cutaneous manifestations of *Paecilomyces lilacinus* infection induced by a contaminated skin lotion in patients who are severely immunosuppressed (Itin et al). 1998;39:401-9

Cutaneous *Paecilomyces lilacinus* infection (Castro) (Letter); (Weinberg and Hecker) (Reply). 1998;39:516-7

Pain

Repetitive pinching of the skin during lidocaine infiltration reduces patient discomfort (Fosko et al). 1998;39:74-8 (Derm. surg.)

Palmoplantar keratoderma; see Keratosis palmaris et plantaris

Pancreatitis

Relapsing livedo reticularis in the setting of chronic pancreatitis (Gould et al). 1998;39:1035-6 (Brief comm.)

Panniculitis

Cytophagic histiocytic panniculitis—a syndrome associated with benign and malignant panniculitis: case comparison and review of the literature (Craig et al). 1998;39:721-36

Lipoatrophia semicircularis—a traumatic panniculitis: report of seven cases and review of the literature (Nagore et al). 1998;39:879-81 (Case rep.)

Melanoma-in-transit presenting as panniculitis (Cotton et al). 1998;39:876-8 (Case rep.)

Mycobacterium fortuitum panniculitis in a steroid-dependent asth-matic patient (Retief and Tharp). 1998;39:650-3 (Brief comm.)

Treatment of relapsing idiopathic nodular panniculitis (Pfeifer-Weber-Christian disease) with mycophenolate mofetil (Enk and Knop). 1998;39:508-9 (Brief comm.)

Panniculitis, nodular nonsuppurative

Weber-Christian panniculitis: a review of 30 cases with this diag-nosis (White and Winkelmann). 1998;39:56-62

Papillomaviruses

Longitudinal melanonychia revealing an intraepidermal carcinoma of the nail apparatus: detection of integrated HPV-16 DNA (Sass et al). 1998;39:490-3 (Brief comm.)

The natural history of condyloma in children (Allen and Siegfried). 1998;39:951-5

Parakeratosis

Intertriginous granular parakeratosis (Mehregan et al). 1998;39:495-6 (Brief comm.)

Paraneoplastic syndromes

- Paraneoplastic dermatomyositis presenting as erythroderma (Nousari et al). 1998;39:653-4 (Brief comm.)
- Paraneoplastic pemphigus with a pemphigus vegetans-like plaque as the only cutaneous manifestation (Sapadin and Anhalt). 1998;39:867-71 (Case rep.)

Patient compliance

- The critical role of the vehicle to therapeutic efficacy and patient compliance (Piacquadio and Kligman). 1998;39:S67-73

Patient-oriented research

- Whither the patient-oriented researcher? (Sontheimer and Werth). 1998;39:109-13 (Current issues)

Pearls

- Pearls. 1998;39:107-8, 248-54, 478-83, 629-34, 787-8, 1000-1

Pemphigoid, bullous

- Bullous pemphigoid presenting as exfoliative erythroderma (Alonso-Llamazares et al). 1998;39:827-30 (Case rep.)
- Lichenoid erythrodermic bullous pemphigoid of the African patient (Joly et al). 1998;39:691-7
- Psoriasis and bullous pemphigoid treated with azathioprine (Primka and Camisa). 1998;39:121-3 (Brief comm.)
- Successful therapy for bullous pemphigoid with mycophenolate mofetil (Nousari et al). 1998;39:497-8 (Brief comm.)

Pemphigus

- Paraneoplastic pemphigus with a pemphigus vegetans-like plaque as the only cutaneous manifestation (Sapadin and Anhalt). 1998;39:867-71 (Case rep.)
- Pemphigus vegetans—Neumann variant associated with intranasal heroin abuse (Downie et al). 1998;39:872-5 (Case rep.)
- D-Penicillamine-induced pemphigus foliaceus with autoantibodies to desmoglein-1 (Brenner and Ruocco) (Letter); (Peñas and Carvajal) (Reply). 1998;39:137-8
- Recurrent pemphigus vulgaris limited to the surgical area after mastectomy (Shirahama et al). 1998;39:352-5 (Case rep.)

Penicillamine

- D-Penicillamine-induced pemphigus foliaceus with autoantibodies to desmoglein-1 (Brenner and Ruocco) (Letter); (Peñas and Carvajal) (Reply). 1998;39:137-8

Penile erection

- Penile shaft hypopigmentation: lichen sclerosus occurring after the initiation of alprostadil intracavernous injections for erectile dysfunction (English et al). 1998;39:801-3 (Brief comm.)

Pentoxifylline

- Pentoxifylline for Schamberg's disease (Burkhart and Burkhart) (Letter); (Kano and Shiohara) (Reply). 1998;39:298
- Topically applied pentoxifylline has no effect on allergic patch responses (Brehler et al). 1998;39:1017-21 (Brief comm.)

Perception

- What patients with psoriasis believe about their condition (Fortune et al). 1998;39:196-201

Perfusion, regional

- Reticulate scleroderma after isolated limb perfusion with melphalan (Landau et al). 1998;39:923-32 (Brief comm.)

Periarteritis nodosa

- Estrogen-sensitive cutaneous polyarteritis nodosa: response to tamoxifen (Cvancara et al). 1998;39:643-6 (Brief comm.)

Pfeifer-Weber-Christian disease; see Panniculitis**Phenotype**

- Cutaneous melanoma risk and phenotypic changes in large congenital nevi: a follow-up study of 46 patients (Egan et al). 1998;39:923-32

Photochemotherapy

- Kinetics of photosensitivity in bath-PUVA photochemotherapy (Gruss et al). 1998;39:443-6 (Therapy)

Photodamaged skin; see Skin aging**Photography**

- Intervention strategy to prevent lethal cutaneous melanoma: use of dermatologic photography to aid surveillance of high-risk persons (Rhodes). 1998;39:262-7 (Current issues)

Photosensitivity disorders

- Cockayne syndrome without typical clinical manifestations including neurologic abnormalities (Miyauchi-Hashimoto et al). 1998;39:565-70
- Kinetics of photosensitivity in bath-PUVA photochemotherapy (Gruss et al). 1998;39:443-6 (Therapy)
- Photosensitive dermatitis caused by pyridoxine hydrochloride (Murata et al). 1998;39:314-7 (Case rep.)
- Photosensitivity of the American Indian: terminology and historical aspects (Johnson and Fusaro) (Letter); (Magaña) (Reply). 1998;39:662-4

Phototherapy

- Photoaging therapy with topical tretinoin: an evidence-based analysis (Kang and Voorhees). 1998;39:S55-61
- Tazarotene in combination with phototherapy (Koo). 1998;39:S144-8

Pigmentation disorders

- The development of lentigines within segmental achromic nevi (Bologna et al). 1998;39:330-3 (Case rep.)
- Penile shaft hypopigmentation: lichen sclerosus occurring after the initiation of alprostadil intracavernous injections for erectile dysfunction (English et al). 1998;39:801-3 (Brief comm.)
- Pentoxifylline for Schamberg's disease (Burkhart and Burkhart) (Letter); (Kano and Shiohara) (Reply). 1998;39:298

Pigments

- A reaction to a red lip cosmetic tattoo (Duke et al). 1998;39:488-90 (Brief comm.)

Pilomatricoma

- A clinical review of 209 pilomatricomas (Julian and Bowers). 1998;39:191-5

Pincer nails; see Nails, malformed**Pityriasis rubra pilaris**

- Pneumocystis carinii* pneumonia complicating methotrexate treatment of pityriasis rubra pilaris (Duncan et al). 1998;39:276-8 (Brief comm.)

Plants

- Useful plants of dermatology. IV. Alizarin red and madder (Norton). 1998;39:484-5 (Special article)
- Useful plants of dermatology. V. *Capsicum* and capsaicin (Norton). 1998;39:626-8 (Special article)

Plaque psoriasis; see Psoriasis**Plasmacytoma**

- Multiple myeloma in an HIV-positive man presenting with primary cutaneous plasmacytomas and spinal cord compression (Lallemant et al). 1998;39:506-8 (Brief comm.)

Pneumocystis carinii

- Pneumocystis carinii* pneumonia complicating methotrexate treatment of pityriasis rubra pilaris (Duncan et al). 1998;39:276-8 (Brief comm.)

Pneumonia

- Pneumocystis carinii* pneumonia complicating methotrexate treatment of pityriasis rubra pilaris (Duncan et al). 1998;39:276-8 (Brief comm.)

Poikiloderma

- Skin manifestations of mitochondrial DNA syndromes: case report and review (Flynn et al). 1998;39:819-23 (Case rep.)

Polymerase chain reaction

- Identification of melanoma metastases by tyrosinase–reverse transcription–polymerase chain reaction of fine needle aspirates (Voit et al). 1998;39:1030-2 (Brief comm.)

Porphyria

- Cutaneous deposition diseases. Part I (Touart and Sau). 1998;39:149-71 (CME article)

Porphyrins

Early-stage HIV infection and hepatitis C virus infection are associated with elevated serum porphyrin levels (Lim et al). 1998; 39:956-9

Postoperative complications

Incidence of postoperative infection or positive culture after facial laser resurfacing: a pilot study, a case report, and a proposal for a rational approach to antibiotic prophylaxis (Ross et al). 1998; 39:975-81 (Derm. surg.)

Poverty

Medical missions and dermatology (Boyd). 1998;39:658-60 (Current issues)

Precancerous conditions

Cutaneous melanoma: patient surveillance and tumor progression (Richert et al). 1998;39:571-7

Pregnancy

Prenatal findings in membranous aplasia cutis (Cambiaghi et al). 1998;39:638-40 (Brief comm.)

Pruritic urticarial papules and plaques of pregnancy: clinical and immunopathologic observations in 57 patients (Aronson et al). 1998;39:933-9

Retinoids and teratogenicity (Jick). 1998;39:S118-22

Prenatal diagnosis

Prenatal findings in membranous aplasia cutis (Cambiaghi et al). 1998;39:638-40 (Brief comm.)

Primary health care

Dermatologists meet the primary care standard for first contact management of skin disease (Feldman et al). 1998;39:182-6

Privileging

Recommendations for credentialing and privileging (Drake et al). 1998;39:765-86 (From the Academy)

Protein C

Activated protein C resistance and anticardiolipin antibodies in patients with venous leg ulcers (Fisher) (Letter); (Grossman et al) (Reply). 1998;39:299-300

Proteins

p54 Where Are You? (Bernhard). 1998;39:762-3 (The Blue Journal)

Proteolytic enzymes

The safety and efficacy of a proteolytic ointment in the treatment of chronic ulcers of the lower extremity (Falabella et al). 1998; 39:737-40 (Therapy)

Prurigo

Photosensitivity of the American Indian: terminology and historical aspects (Johnson and Fusaro) (Letter); (Magaña) (Reply). 1998;39:662-4

Pruritus

Brachioradial pruritus: a recurrent solar dermatopathy (Wallengren). 1998;39:803-6 (Brief comm.)

How should we define itching? (Savin). 1998;39:268-9 (Current issues)

Pruritic urticarial papules and plaques of pregnancy: clinical and immunopathologic observations in 57 patients (Aronson et al). 1998;39:933-9

Pseudoxanthoma elasticum

Periumbilical pseudoxanthoma elasticum associated with chronic renal failure and angioid streaks—apparent regression with hemodialysis (Sapadin et al). 1998;39:338-4 (Case rep.)

Psoriasis

Calcipotriene ointment and halobetasol ointment in the long-term treatment of psoriasis: effects on the duration of improvement (Lebwohl et al). 1998;39:447-50 (Therapy)

Carbamazepine and psoriasis (Redondo and Vázquez-Doval) (Letter); (Smith and Skelton) (Reply). 1998;39:808-9

Colchicine in dermatology (Sullivan et al). 1998;39:993-9 (Clin. rev.)

Cyclosporine consensus conference: with emphasis on the treatment of psoriasis (Lebwohl et al). 1998;39:464-75 (Clin. rev.)

Detection of streptococcal antigens in psoriasis (Talanin). 1998; 39:270-1 (From the Academy)

Future trends: a new generation of retinoids (Chandraratna). 1998; 39:S149-52

Linear pustular psoriasis that developed in a patient with generalized pustular psoriasis (Kanoh et al). 1998;39:635-7 (Brief comm.)

The pathogenesis of psoriasis and the mechanism of action of tazarotene (Duvic et al). 1998;39:S129-33

Pharmacokinetics and safety review of tazarotene (Marks). 1998; 39:S134-8

Psoriasis and bullous pemphigoid treated with azathioprine (Primka and Camisa). 1998;39:121-3 (Brief comm.)

Pustular psoriasisform eruption with leukocytosis associated with terbinafine (Papa and Miller). 1998;39:115-7 (Brief comm.)

Rational design of receptor-selective retinoids (Chandraratna). 1998;39:S124-8

Tazarotene: optimizing the therapeutic benefits of a new topical receptor-selective retinoid—introduction (Duvic and Marks). 1998;39:S123

Tazarotene 0.1% gel plus corticosteroid cream in the treatment of plaque psoriasis (Lebwohl et al). 1998;39:590-6 (Therapy)

Tazarotene in combination with phototherapy (Koo). 1998;39: S144-8

Tazarotene in combination with topical corticosteroids (Lebwohl and Poulin). 1998;39:S139-43

What patients with psoriasis believe about their condition (Fortune et al). 1998;39:196-201

Pulsed-dye laser surgery; see Laser surgery

Purpura

Cutaneous small-vessel vasculitis (Lotti et al). 1998;39:667-87 (CME article)

Flutter valve purpura (Knoell and Becker). 1998;39:292-3 (Brief comm.)

Intravascular large cell lymphoma: a patient with asymptomatic purpuric patches and a chronic clinical course (Chang et al). 1998;39:318-21 (Case rep.)

Purpura in infants and children (Burrows). 1998;39:661-2 (Letter)
Unusual presentation of mycosis fungoides as pigmented purpura with malignant thymoma (Cather et al). 1998;39:858-63 (Case rep.)

Pustular psoriasis; see Psoriasis

PUVA therapy

HIV-positive patients differ from HIV-negative patients in indications for and type of UV therapy used (Stern et al). 1998;39: 48-55

Kinetics of photosensitivity in bath-PUVA photochemotherapy (Gruss et al). 1998;39:443-6 (Therapy)

Pyoderma

Efficacy of tacrolimus (FK 506) in idiopathic treatment-resistant pyoderma gangrenosum (Weichert and Sauder). 1998;39:648-50 (Brief comm.)

Successful treatment of pyoderma gangrenosum with intravenous human immunoglobulin (Dirschka et al). 1998;39:789-90 (Brief comm.)

Pyridoxine

Photosensitive dermatitis caused by pyridoxine hydrochloride (Murata et al). 1998;39:314-7 (Case rep.)

R

Receptors, antigen, T-cell, gamma-delta

Immunophenotyping and T-cell receptor γ gene rearrangement analysis as an adjunct to the histopathologic diagnosis of mycosis fungoides (Bergman et al). 1998;39:554-9

Recombinant human interferon gamma; see Interferon-gamma

Renal transplantation; see Kidney transplantation

Research

- Whither the patient-oriented researcher? (Sontheimer and Werth). 1998;39:109-13 (Current issues)

Research design

- Teleconferencing technology for dermatology (Kalish). 1998;39:136-7 (Letter)

Reticulohistiocytosis, non-Langerhans-cell

- Multicentric reticulohistiocytosis associated with recurrent breast carcinoma (Valencia et al). 1998;39:864-6 (Case rep.)

Retinaldehyde

- Profilometric evaluation of photodamage after topical retinaldehyde and retinoic acid treatment (Creidi et al). 1998;39:960-5 (Therapy)

Retinoic acid; see Tretinoin**Retinoids**

- Adapalene for the treatment of acne vulgaris (Weiss and Shavin). 1998;39:S50-4
- Assessment of topical retinoids for the treatment of Far-East Asian skin (Griffiths). 1998;39:S104-7
- The evolving role of retinoids in the management of cutaneous conditions: introduction (Bergfeld). 1998;39:S1
- Future trends: a new generation of retinoids (Chandraratna). 1998;39:S149-52
- The growing importance of topical retinoids in clinical dermatology: a retrospective and prospective analysis (Kligman). 1998;39:S2-7
- High-strength tretinoin: a method for rapid retinization of facial skin (Kligman et al). 1998;39:S93-7
- Managing actinic keratoses with retinoids (Odom). 1998;39:S74-8
- The pathogenesis of psoriasis and the mechanism of action of tazarotene (Duvic et al). 1998;39:S129-33
- Pharmacodynamics and pharmacokinetics of topical adapalene (Shroot). 1998;39:S17-24
- Pharmacokinetic and pharmacodynamic considerations of retinoids: tretinoin (Shapiro and Latrino). 1998;39:S13-6
- Pharmacokinetics and safety review of tazarotene (Marks). 1998;39:S134-8
- Pharmacokinetics of acitretin and etretinate (Wiegand and Chou). 1998;39:S25-33
- Pharmacokinetics of oral isotretinoin (Wiegand and Chou). 1998;39:S8-12
- Photoaging therapy with topical tretinoin: an evidence-based analysis (Kang and Voorhees). 1998;39:S55-61
- A practical approach to the use of retinoids in aging skin (Gendler). 1998;39:S114-7
- Rational design of receptor-selective retinoids (Chandraratna). 1998;39:S124-8
- Recent findings in the epidemiologic evidence, classification, and subtypes of acne vulgaris (White). 1998;39:S34-7
- Retinoid chemoprevention in the high-risk patient (DiGiovanna). 1998;39:S82-5
- Retinoids and hair growth (Bergfeld). 1998;39:S86-9
- Retinoids and teratogenicity (Jick). 1998;39:S118-22
- The role of isotretinoin in the treatment of acne: personal observations (Leyden). 1998;39:S45-9
- Role of retinoids in skin cancer treatment and prevention (Levine). 1998;39:S62-6
- The role of retinoids in the management of cutaneous conditions in blacks (Halder). 1998;39:S98-103
- The role of retinoids in wound healing (Elson). 1998;39:S79-81
- Systemic treatment of neoplastic conditions with retinoids (Hsu). 1998;39:S108-13
- Tazarotene: optimizing the therapeutic benefits of a new topical receptor-selective retinoid—introduction (Duvic and Marks). 1998;39:S123
- Tazarotene in combination with phototherapy (Koo). 1998;39:S144-8

- Tazarotene in combination with topical corticosteroids (Lebwohl and Poulin). 1998;39:S139-43

- Topical tretinoin in acne therapy (Webster). 1998;39:S38-44

Reviewers

- Reviewers. 1998;39:130-3

Rheumatoid arthritis; see Arthritis, rheumatoid**Rheumatoid nodule**

- Accelerated cutaneous nodulosis during methotrexate therapy in a patient with rheumatoid arthritis (Williams et al). 1998;39:359-62 (Case rep.)

Rhytidoplasty

- A side-by-side comparison of carbon dioxide resurfacing lasers for the treatment of rhytides (Gross and Rogers). 1998;39:547-53

Risk factors

- Cutaneous melanoma: patient surveillance and tumor progression (Richert et al). 1998;39:571-7
- Cutaneous melanoma risk and phenotypic changes in large congenital nevi: a follow-up study of 46 patients (Egan et al). 1998;39:923-32
- Multiple primary melanomas (Johnson et al). 1998;39:422-7
- Risk of melanoma in medium-sized congenital melanocytic nevi: a follow-up study (Sahin et al). 1998;39:428-33

Rosacea

- The efficacy of metronidazole 1% cream once daily compared with metronidazole 1% cream twice daily and their vehicles in rosacea: a double-blind clinical trial (Jorizzo et al). 1998;39:502-4 (Brief comm.)

Rubber

- Latex: a cause of allergic contact eczema in users of natural rubber gloves (Wilkinson and Burd). 1998;39:36-42
- Latex allergy (Warsaw). 1998;39:1-24 (CME article)
- Position paper of the American Academy of Dermatology Latex Allergy Work Group (Cohen et al). 1998;39:98-106 (From the Academy)

S**S100 protein**

- An S100 negative granular cell tumor with malignant potential: report of a case (Schoedel et al). 1998;39:894-8 (Case rep.)

Safety

- Pharmacokinetics and safety review of tazarotene (Marks). 1998;39:S134-8
- The safety and efficacy of a proteolytic ointment in the treatment of chronic ulcers of the lower extremity (Falabella et al). 1998;39:737-40 (Therapy)

Sarcoidosis

- Disfiguring cutaneous manifestation of sarcoidosis treated with thalidomide: a case report (Lee and Koblenzer). 1998;39:835-8 (Case rep.)
- Granulomatous dermatitis with focal sarcoidal features associated with recombinant interferon β -1b injections (Mehta et al). 1998;39:1024-8 (Brief comm.)
- Morpheaform sarcoidosis: report of three cases (Burov et al). 1998;39:345-8 (Case rep.)
- Sarcoidosis of the vulva: a rare cutaneous manifestation (Klein et al). 1998;39:281-3 (Brief comm.)

Scalp dermatoses

- Scarring alopecia and sclerodermatous changes of the scalp in a patient with hepatitis C infection (Jackson and Callen). 1998;39:824-6 (Case rep.)

Scar; see Cicatrix**Scedosporium apiospermum**

- Scedosporium apiospermum* skin infection: a case report and review of the literature (Miyamoto et al). 1998;39:498-500 (Brief comm.)

Schamberg's disease; see Pigmentation disorders

Scleroderma, circumscribed

- High-dose UVA₁ radiation therapy for localized scleroderma (Su et al) (Letter); (Stege and Krutmann) (Reply). 1998;39:517-8
- Low-dose methotrexate in the treatment of widespread morphea (Seyger et al). 1998;39:220-5 (Therapy)
- Morpheaform sarcoidosis: report of three cases (Burov et al). 1998;39:345-8 (Case rep.)
- Reticulate scleroderma after isolated limb perfusion with melphalan (Landau et al). 1998;39:1011-2 (Brief comm.)
- Scarring alopecia and sclerodermatous changes of the scalp in a patient with hepatitis C infection (Jackson and Callen). 1998;39:824-6 (Case rep.)
- Topical calcipotriene for morphea/linear scleroderma (Cunningham et al). 1998;39:211-5 (Therapy)

Sclerosis

- Removal of dermal edema with class I and II compression stockings in patients with lipodermatosclerosis (Gniadecka et al). 1998;39:966-70 (Therapy)

Scopulariopsis brevicaulis

- Granulomatous skin infection caused by *Scopulariopsis brevicaulis* (Bruynzeel and Starink). 1998;39:365-7 (Case rep.)

Sebaceous glands

- Multiple follicular hamartomas with sweat gland and sebaceous differentiation, vermiform atrophoderma, milia, hypotrichosis, and late development of multiple basal cell carcinomas (Pujol et al). 1998;39:853-7 (Case rep.)

Self-Assessment

- Self-Assessment examinations. 1998;39:140-4, 520-3, 811-4
- Self-Assessment examinations: answers. 1998;39:145-8, 524-6, 815-8

Severe combined immunodeficiency disease

- Bacillus* species infection of the skin as a presentation of severe combined immunodeficiency disease (Machado et al). 1998;39:285-7 (Brief comm.)

Sexual abuse, child

- Syphilis biphrophthorica (Siegfried and Frasier) (Letter); (Hofmann et al) (Reply). 1998;39:1041-2

Shave therapy

- Shave therapy is a simple, effective treatment of persistent venous leg ulcers (Schmeller et al). 1998;39:232-8 (Therapy)

Skin aging

- A practical approach to the use of retinoids in aging skin (Gendler). 1998;39:S114-7
- Profilometric evaluation of photodamage after topical retinaldehyde and retinoic acid treatment (Creidi et al). 1998;39:960-5 (Therapy)

Skin dimpling

- Skin dimpling as a consequence of amniocentesis (Cambiaghi et al). 1998;39:888-90 (Case rep.)

Skin diseases

- Dermatologists meet the primary care standard for first contact management of skin disease (Feldman et al). 1998;39:182-6

Skin diseases, vesiculobullous

- Subcorneal pustular dermatosis in a patient with aplastic anemia (Park et al). 1998;39:287-9 (Brief comm.)

Skin neoplasms; see also specific neoplasms

- A clinical review of 209 pilomatricomas (Julian and Bowers). 1998;39:191-5

Skin neoplasms, diagnosis

- Multiple primary melanomas (Johnson et al). 1998;39:422-7

Skin neoplasms, drug therapy

- Role of retinoids in skin cancer treatment and prevention (Levine). 1998;39:S62-6

Skin neoplasms, economics

- Mohs micrographic surgery: a cost analysis (Cook and Zitelli). 1998;39:698-703

Skin neoplasms, epidemiology

- Squamous cell carcinoma: Could it be the most common skin cancer? (Cohn) (Letter); (Goldberg) (Reply). 1998;39:134-6

Skin neoplasms, etiology

- Occupationally related tumors in tar refinery workers (Letzel and Drexler). 1998;39:712-20

Skin neoplasms, genetics

- p54 Where Are You? (Bernhard). 1998;39:762-3 (The Blue Journal)

Skin neoplasms, prevention and control

- Cutaneous melanoma: patient surveillance and tumor progression (Richert et al). 1998;39:571-7
- Photoprotective action of isoflavone genistein: models, mechanisms, and relevance to clinical dermatology (Wei). 1998;39:271-2 (From the Academy)
- Retinoid chemoprevention in the high-risk patient (DiGiovanna). 1998;39:S82-5

Skin neoplasms, surgery

- Mohs micrographic surgery (Shriner et al). 1998;39:79-97 (Clin. rev.)
- Surgical Pearl: The use of multiple different tissue specimens on the same glass slide to enhance the efficiency of frozen section preparation in Mohs micrographic surgery (Gloster and Taylor). 1998;39:107-8 (Pearls)

Skin substitutes

- Tissue engineering for skin: an update (Eaglstien and Falanga). 1998;39:1007-10 (Special rep.)

Skin transplantation

- Graves' disease presenting as localized myxedema in a thigh donor graft site (Missner et al). 1998;39:846-9 (Case rep.)
- Surgical Pearl: Delayed intranasal knot tying for composite grafts of the ala (Albertini and Ramsey). 1998;39:787-8 (Pearls)
- Surgical Pearl: Use of a sponge bolster instead of a tie-over bolster as a less invasive method of securing full-thickness skin grafts (Egan and Gerwels). 1998;39:1000-1 (Pearls)

Special articles

- Special articles. 1998;39:484-5, 626-8, 1002-6

Special reports

- Special reports. 1998;39:255-61, 1007-10

Spider veins; see Varicose veins

Spinal cord compression

- Multiple myeloma in an HIV-positive man presenting with primary cutaneous plasmacytomas and spinal cord compression (Lallemant et al). 1998;39:506-8 (Brief comm.)

Spinal muscular atrophy; see Muscular atrophy, spinal

Splints

- Surgical Pearl: Nail splinting by flexible tube—a new noninvasive treatment for ingrown toenails (Schulte et al). 1998;39:629-30 (Pearls)

Sponges

- Surgical Pearl: Use of a sponge bolster instead of a tie-over bolster as a less invasive method of securing full-thickness skin grafts (Egan and Gerwels). 1998;39:1000-1 (Pearls)

Spores, fungal

- Spores and mycelia in cutaneous chromomycosis (Lee et al). 1998;39:850-2 (Case rep.)

Squamous cell carcinoma; see Carcinoma, squamous cell

Squaric acid dibutylester

- Efficacy of topical sensitizers in the treatment of alopecia areata (Rokhsar et al). 1998;39:751-61 (Clin. rev.)

Stains and staining

- Immunostaining of various micro-organisms by a polyclonal anti-*Mycobacterium bovis* antibody (Arrese and Piérard). 1998;39:809-10 (Letter)
- Useful plants of dermatology. IV. Alizarin red and madder (Norton). 1998;39:484-5 (Special article).

Stanozolol

The anabolic steroid stanozolol upregulates collagen synthesis through the action of transforming growth factor- β 1 (Falabella). 1998;39:272-3 (From the Academy)

Staphylococcus

Toxin-mediated streptococcal and staphylococcal disease (Manders). 1998;39:383-98 (CME article)

Steroids

Mycobacterium fortuitum panniculitis in a steroid-dependent asthmatic patient (Retief and Tharp). 1998;39:650-3 (Brief comm.)

Streptococcus

Detection of streptococcal antigens in psoriasis (Talanin). 1998;39:270-1 (From the Academy)

Toxin-mediated streptococcal and staphylococcal disease (Manders). 1998;39:383-98 (CME article)

Striae

Topical tretinoin therapy for management of early striae (Kang). 1998;39:S90-2

Striae distensae

Linear focal elastosis: keloidal repair of striae distensae (Hashimoto). 1998;39:309-13 (Case rep.)

Subcorneal pustular dermatosis; see Skin diseases, vesiculobullous**Substance abuse**

Pemphigus vegetans—Neumann variant associated with intranasal heroin abuse (Downie et al). 1998;39:872-5 (Case rep.)

Suction

The mechanism of "suction" (Lewis and Kageyama). 1998;39:664 (Letter)

Sunlight

Brachioradial pruritus: a recurrent solar dermatopathy (Wallengren). 1998;39:803-6 (Brief comm.)

Morphometric discrimination of melanoma in situ of sun-damaged skin from chronically sun-damaged skin (Acker et al). 1998;39:239-45 (Dermatopathology)

Profilometric evaluation of photodamage after topical retinaldehyde and retinoic acid treatment (Creidi et al). 1998;39:960-5 (Therapy)

Surgical flaps

Surgical Pearl: Dermal advancement flaps for filling deep dorsal nasal defects under grafts (Menaker et al). 1998;39:478-80 (Pearls)

Surgical gloves

Latex: a cause of allergic contact eczema in users of natural rubber gloves (Wilkinson and Burd). 1998;39:36-42

Surgical Pearls

Surgical Pearls. 1998;39:107-8, 248-50, 478-80, 629-30, 787-8, 1000-1

Surgical wound infection

Incidence of postoperative infection or positive culture after facial laser resurfacing: a pilot study, a case report, and a proposal for a rational approach to antibiotic prophylaxis (Ross et al). 1998;39:975-81 (Derm. surg.)

Suture techniques

Surgical Pearl: Delayed intranasal knot tying for composite grafts of the ala (Albertini and Ramsey). 1998;39:787-8 (Pearls)

Surgical Pearl: Use of a sponge bolster instead of a tie-over bolster as a less invasive method of securing full-thickness skin grafts (Egan and Gerwels). 1998;39:1000-1 (Pearls)

Sutures

Surgical Pearl: An economical means of skin closure with absorbable suture (Fosko and Heap). 1998;39:248-50 (Pearls)

Sweat glands

Multiple follicular hamartomas with sweat gland and sebaceous differentiation, vermiculate atrophoderma, milia, hypotrichosis, and late development of multiple basal cell carcinomas (Pujol et al). 1998;39:853-7 (Case rep.)

Sweating

Sweating, calcium, and osteoporosis (Cohn). 1998;39:1038-9 (Letter)

Sweet's syndrome

Sweet's syndrome: Is the pathogenesis mediated by helper T cell type 1 cytokines? (Giasuddin et al). 1998;39:940-3

Syringes

The mechanism of "suction" (Lewis and Kageyama). 1998;39:664 (Letter)

A simple technique for ear piercing (Landeck et al). 1998;39:795-6 (Brief comm.)

Syringofibroadenomatosis

Familial eccrine syringofibroadenomatosis with associated ophthalmologic abnormalities (Chen et al). 1998;39:356-8 (Case rep.)

Syringoma

Basal cell carcinoma in a black woman with syringomas (Bhat et al). 1998;39:xx20 (Brief comm.)

An unusual presentation of syringomas on the buttocks (Paquette and Massa). 1998;39:1032-3 (Brief comm.)

Systemic lupus erythematosus; see Lupus erythematosus, systemic**T****Tacrolimus**

Efficacy of tacrolimus (FK 506) in idiopathic treatment-resistant pyoderma gangrenosum (Weichert and Sauder). 1998;39:648-50 (Brief comm.)

Tamoxifen

Estrogen-sensitive cutaneous polyarteritis nodosa: response to tamoxifen (Cvancara et al). 1998;39:643-6 (Brief comm.)

Tars

Occupationally related tumors in tar refinery workers (Letzel and Drexler). 1998;39:712-20

Tattooing

A reaction to a red lip cosmetic tattoo (Duke et al). 1998;39:488-90 (Brief comm.)

Tazarotene

Future trends: a new generation of retinoids (Chandraratna). 1998;39:S149-52

The pathogenesis of psoriasis and the mechanism of action of tazarotene (Duvic et al). 1998;39:S129-33

Pharmacokinetics and safety review of tazarotene (Marks). 1998;39:S134-8

Rational design of receptor-selective retinoids (Chandraratna). 1998;39:S124-8

Tazarotene: optimizing the therapeutic benefits of a new topical receptor-selective retinoid—introduction (Duvic and Marks). 1998;39:S123

Tazarotene 0.1% gel plus corticosteroid cream in the treatment of plaque psoriasis (Lebwohl et al). 1998;39:590-6 (Therapy)

Tazarotene in combination with phototherapy (Koo). 1998;39:S144-8

Tazarotene in combination with topical corticosteroids (Lebwohl and Poulin). 1998;39:S139-43

Technology

Teleconferencing technology for dermatology (Kalish). 1998;39:136-7 (Letter)

Telangiectasis

Acquired unilateral nevus telangiectasia syndrome (Taşkan and Harmaneri) (Letter); (Hynes and Shenefelt) (Reply). 1998;39:138-9

Telecommunications

Teleconferencing technology for dermatology (Kalish). 1998;39:136-7 (Letter)

Teratogens

Retinoids and teratogenicity (Jick). 1998;39:S118-22

Terbinafine

- Onychomycosis in a 2-year-old child successfully treated with oral terbinafine (Ungpakorn et al). 1998;39:654-5 (Brief comm.)
Pustular psoriasiform eruption with leukocytosis associated with terbinafine (Papa and Miller). 1998;39:115-7 (Brief comm.)
Reversible agranulocytosis associated with oral terbinafine for onychomycosis (Ornstein and Ely). 1998;39:1023-4 (Brief comm.)
Terbinafine (Shwyder) (Letter); (Ungpakorn and Kullavanijaya) (Reply). 1998;39:136

Tetracycline

- Topical clindamycin versus systemic tetracycline in the treatment of hidradenitis suppurativa (Jemec and Wendelboe). 1998;39:971-4 (Therapy)

Thalidomide

- Disfiguring cutaneous manifestation of sarcoidosis treated with thalidomide: a case report (Lee and Koblenzer). 1998;39:835-8 (Case rep.)
Thalidomide for recalcitrant discoid lesions in a patient with systemic lupus erythematosus (Warren et al). 1998;39:293-5 (Brief comm.)

Therapy

- Therapy. 1998;39:63-73, 211-38, 443-50, 578-602, 737-45, 960-74

Thrombocytopenia

- Thrombocytopenia after a single test dose of methotrexate (Jih and Werth). 1998;39:349-51 (Case rep.)

Thumb

- Nevoid hypertrichosis associated with duplication of the right thumb (Tasakpan et al). 1998;39:114-5 (Brief comm.)

Thymoma

- Unusual presentation of mycosis fungoides as pigmented purpura with malignant thymoma (Cather et al). 1998;39:858-63 (Case rep.)

Ticks

- Lymphangioendothelioma after a tick bite (Wilmer et al). 1998;39:126-8 (Brief comm.)

Tinea capitis

- Terbinafine (Shwyder) (Letter); (Ungpakorn and Kullavanijaya) (Reply). 1998;39:136
Treatment of tinea capitis with itraconazole capsule pulse therapy (Gupta et al). 1998;39:216-9 (Therapy)

Tinea unguium

- Onychomycosis: an evaluation of three sampling methods (Hull et al). 1998;39:1015-7 (Brief comm.)
Onychomycosis associated with *Onychocola canadensis*: ten case reports and a review of the literature (Gupta et al). 1998;39:410-7
Onychomycosis in a 2-year-old child successfully treated with oral terbinafine (Ungpakorn et al). 1998;39:654-5 (Brief comm.)
Reversible agranulocytosis associated with oral terbinafine for onychomycosis (Ornstein and Ely). 1998;39:1023-4 (Brief comm.)

Tinea versicolor

- Ketoconazole 2% shampoo in the treatment of tinea versicolor: a multicenter, randomized, double-blind, placebo-controlled trial (Lange et al). 1998;39:944-50

Tissue engineering

- Tissue engineering for skin: an update (Eaglstain and Falanga). 1998;39:1007-10 (Special rep.)

Tissue specimens

- Surgical Pearl: The use of multiple different tissue specimens on the same glass slide to enhance the efficiency of frozen section preparation in Mohs micrographic surgery (Gloster and Taylor). 1998;39:107-8 (Pearls)

T-lymphocytes

- Immunophenotyping and T-cell receptor γ gene rearrangement analysis as an adjunct to the histopathologic diagnosis of mycosis fungoides (Bergman et al). 1998;39:554-9

- Sweet's syndrome: Is the pathogenesis mediated by helper T cell type 1 cytokines? (Giasuddin et al). 1998;39:940-3

Tomography, emission-computed

- How should we define itching? (Savin). 1998;39:268-9 (Current issues)

Topical administration; see Administration, topical

Touch

- Touch (Bernhard). 1998;39:476-7 (The Blue Journal)

Transcription, genetic

- Identification of melanoma metastases by tyrosinase-reverse transcription-polymerase chain reaction of fine needle aspirates (Voit et al). 1998;39:1030-2 (Brief comm.)

Transforming growth factor beta

- The anabolic steroid stanozolol upregulates collagen synthesis through the action of transforming growth factor- β 1 (Falabella). 1998;39:272-3 (From the Academy)

Tretinoin

- High-strength tretinoin: a method for rapid retinization of facial skin (Kligman et al). 1998;39:S93-7
Pharmacokinetic and pharmacodynamic considerations of retinoids: tretinoin (Shapiro and Latrino). 1998;39:S13-6
Photoaging therapy with topical tretinoin: an evidence-based analysis (Kang and Voorhees). 1998;39:S55-61
Profilometric evaluation of photodamage after topical retinaldehyde and retinoic acid treatment (Creidi et al). 1998;39:960-5 (Therapy)
Topical tretinoin in acne therapy (Webster). 1998;39:S38-44
Topical tretinoin therapy for management of early striae (Kang). 1998;39:S90-2

Trichilemmal horn

- Trichilemmal horn: case presentation and literature review (DiMaio and Cohen). 1998;39:368-71 (Case rep.)

Trichophyton rubrum

- Invasive *Trichophyton rubrum* resembling blastomycosis infection in the immunocompromised host (Squeo et al). 1998;39:379-80 (Case rep.)

Trichophyton tonsurans

- A survey of dermatophytes isolated from human patients in the United States from 1993 to 1995 (Weitzman et al). 1998;39:255-61 (Special rep.)

Tuberculoid leprosy; see Leprosy, tuberculoid

Tyrosinase; see Monophenol monooxygenase

U

Ulcer

- Activated protein C resistance and anticardiolipin antibodies in patients with venous leg ulcers (Fisher) (Letter); (Grossman et al) (Reply). 1998;39:299-300
Leg ulcers associated with long-term hydroxyurea therapy (Weinlich et al). 1998;39:372-4 (Case rep.)
The safety and efficacy of a proteolytic ointment in the treatment of chronic ulcers of the lower extremity (Falabella et al). 1998;39:737-40 (Therapy)
Shave therapy is a simple, effective treatment of persistent venous leg ulcers (Schmeller et al). 1998;39:232-8 (Therapy)

Ultraviolet rays

- Managing actinic keratoses with retinoids (Odom). 1998;39:S74-8

Ultraviolet therapy

- Acantholytic dyskeratotic epidermal nevus induced by ultraviolet B radiation (Youn et al). 1998;39:301-4 (Case rep.)
High-dose UVA₁ radiation therapy for localized scleroderma (Su et al) (Letter); (Stegge and Krutmann) (Reply). 1998;39:517-8
HIV-positive patients differ from HIV-negative patients in indications for and type of UV therapy used (Stern et al). 1998;39:48-55

Urticaria

Muckle-Wells syndrome: case report and review of cutaneous pathology (Lieberman et al). 1998;39:290-1 (Brief comm.)

Pruritic urticarial papules and plaques of pregnancy: clinical and immunopathologic observations in 57 patients (Aronson et al). 1998;39:933-9

Urticarial vasculitis caused by hepatitis C virus infection: response to interferon alfa therapy (Hamid et al). 1998;39:278-80 (Brief comm.)

Urticaria pigmentosa

Congenital bullous mastocytosis with myeloproliferative disorders and *c-kit* mutation (Shah et al). 1998;39:119-21 (Brief comm.)

UV therapy; see Ultraviolet therapy**V****Varicella-zoster virus**

Herpes zoster in children (Kakourou et al). 1998;39:207-10

Varicose veins

Treatment of spider veins with the 595 nm pulsed-dye laser (Bernstein et al). 1998;39:746-50 (Derm. surg.)

Vasculitis

Cutaneous small-vessel vasculitis (Lotti et al). 1998;39:667-87 (CME article)

Urticarial vasculitis caused by hepatitis C virus infection: response to interferon alfa therapy (Hamid et al). 1998;39:278-80 (Brief comm.)

Vehicles used in drugs; see Drug carriers**Vermiculate atrophoderma**

Multiple follicular hamartomas with sweat gland and sebaceous differentiation, vermiculate atrophoderma, milia, hypotrichosis, and late development of multiple basal cell carcinomas (Pujol et al). 1998;39:853-7 (Case rep.)

Vesiculobullous diseases

Chronic bullous disease of childhood: successful treatment with dicloxacillin (Siegfried and Sirawan). 1998;39:797-800 (Brief comm.)

Video

Digital videomicroscopy improves diagnostic accuracy for melanoma (Seidenari et al). 1998;39:175-81

Vitamin A

Uses of vitamins A, C, and E and related compounds in dermatology: a review (Keller and Fenske). 1998;39:611-25 (Clin. rev.)

Vitamin C; see Ascorbic acid**Vitamin D**

Topical calcipotriene for morphea/linear scleroderma (Cunningham et al). 1998;39:211-5 (Therapy)

Vitamin E

Uses of vitamins A, C, and E and related compounds in dermatology: a review (Keller and Fenske). 1998;39:611-25 (Clin. rev.)

Vulvar diseases

Sarcoidosis of the vulva: a rare cutaneous manifestation (Klein et al). 1998;39:281-3 (Brief comm.)

W**Weber-Christian panniculitis; see Panniculitis, nodular nonsuppurative****Willan, Robert**

Two hundred years of dermatology (Crissey and Parish). 1998;39:1002-6 (Special article)

Woolly hair; see Hair**Wound healing**

The role of retinoids in wound healing (Elson). 1998;39:S79-81
Surgical Pearl: An economical means of skin closure with absorbable suture (Fosko and Heap). 1998;39:248-50 (Pearls)

X**Xanthogranuloma, juvenile**

Neurilemmomatosis, NF2, and juvenile xanthogranuloma (Iyengar et al). 1998;39:831-4 (Case rep.)

Xanthoma

Diffuse plane xanthoma: clinicopathologic study of 8 cases (Marcoval et al). 1998;39:439-42

Y**Young Investigators in Dermatology**

American Academy of Dermatology 1998 awards for Young Investigators in Dermatology. 1998;39:270-5 (From the Academy)

